



PRODUCT
INFORMATION
BOOK



ABOUT COMPANY

PRAN-RFL Group was founded by Major General Amjad Khan Chowdhury (Retd.) in 1981 with a vision to leveraging the farmer in irrigation as well as ensuring drinking water through Water Pump & Tubewell. After that it commenced its operation in different categories and started plastics line in 2013.

RFL started its journey with cast iron (CI) products in 1980. Initially the main objective was to ensure pure water and affordable Irrigation instruments for improving Rural Life. Today the company has wide ranges of CI & Metal products like- Water Pump, Tube well, Bearing, Gas Stove, Kitchen Sink etc. and has achieved the prestige of being the largest cast iron foundry and light engineering company in Bangladesh.

With a vision to serve the common people of Bangladesh with quality products RFL diversified its operation into PVC category in 1996 and in plastic sector in 2003. At present it is the market leader in all these three sectors- Cast Iron, PVC and Plastic in the country. Sizeable amount is also exported to different countries. The company is equipped with in-house R&D facilities to design and develop new products. A well organized own testing laboratory is used to ensure quality products. RFL has been awarded with BSTI certificate and ISO-9001 Certificate for its strict compliance with the standard set by both organizations.



RFL is your one stop solution for everything required to complete that your house needs. To cover your basic kitchen and cooking needs, RFL offers access to various gas stoves to fit your need. Using the minimum LPG gas RFL ensures give you a better and easier cooking experience to prepare food for yourself and your loved ones.



BUILT-IN-HOB GAS STOVE

RFL is your one stop solution for everything required to complete that your house needs. To cover your basic kitchen and cooking needs, RFL offers to BUILT-IN-HOB premium gas stoves to fit your need. Using the minimum LPG gas RFL ensures give you a better and easier cooking experience to prepare food for yourself and your loved ones.

BUILT-IN-HOB THE PREMIUM GAS STOVE

IRIS DOUBLE BURNER CODE: LPG-868428 NG-868429



- Double Glass LPG & NG Built-in-Hob
- Tempered Glass Top Panel
- 130mm & 30mm Brass Burner Cap
- Large Sized CI Stand and SS Knob
- 50000 Times Auto Ignition
- Tornado Blue Flame
- Rated Thermal Flow (KW)-4.3/4.3
- Cutout Dimension: 625mmx335mm
- Size: 730mmx410mmx95mm



IRIS TRIPPLE BURNER CODE: LPG-868595 NG-868599



- Triple Glass LPG & NG Built-in-Hob
- Tempered Glass Top Panel
- Large Sized CI Stand and SS Knob
- 50000 Times Auto Ignition
- Tornado Blue Flame
- Cutout Dimension: 625mmx335mm
- Size: 730mmx410mmx95mm



ORCHID DOUBLE BURNER CODE: LPG-868426 NG-868427



- Double Glass LPG & NG Built-in-Hob
- Tempered Glass Top Panel
- 130mm & 30mm Brass Burner Cap
- Large Sized CI Stand and SS Knob
- 50000 Times Auto Ignition
- Tornado Blue Flame
- Rated Thermal Flow (KW)-4.3/4.3
- Cutout Dimension: 625mmx335mm
- Size: 730mmx410mmx95mm



ORCHID TRIPPLE BURNER CODE: LPG-868596 NG-868600



- Triple Glass LPG & NG Built-in-Hob
- Tempered Glass Top Panel
- Large Sized CI Stand and SS Knob
- 50000 Times Auto Ignition
- Tornado Blue Flame
- Cutout Dimension: 625mmx335mm
- Size: 730mmx410mmx95mm



MARIGOLD DOUBLE BURNER CODE: LPG-868424 NG-868425



- Double Glass LPG & NG Built-in-Hob
- Tempered Glass Top Panel
- 130mm & 30mm Brass Burner Cap
- Large Sized CI Stand and SS Knob
- 50000 Times Auto Ignition
- Tornado Blue Flame
- Rated Thermal Flow (KW)-4.3/4.3
- Cutout Dimension: 625mmx335mm
- Size: 730mmx410mmx95mm



BUILT-IN-HOB THE PREMIUM GAS STOVE

MARIGOLD TRIPLE BURNER

CODE: LPG-868597
NG-868601



- Triple Glass LPG & NG Built-in-Hob
- Tempered Glass Top Panel
- Large Sized CI Stand and SS Knob
- 50000 Times Auto Ignition
- Tornado Blue Flame
- Cutout Dimension: 625mmx335mm
- Size: 730mmx410mmx95mm



21 GN

CODE: LPG-80396
NG-80395



- Double Ceramic LPG & NG Built-in-Hob
- Tempered Ceramic Top Panel
- Rotary Brass Burner Cap
- Smoke Free Tornado Blue Flame
- 50000 Times Auto Ignition
- Rated Thermal Flow (KW)-4.3/4.3
- Cutout Dimension: 625mmx335mm
- Size: 670mmx380mmx115mm



22 SN

CODE: LPG-80398
NG-80397



- Double SS LPG & NG Built-in-Hob
- Stainless Steel Top Panel
- Rotary Brass Burner cap
- Smoke Free Tornado Blue Flame
- 50000 Times Auto Ignition
- Cut Out Dimension: 625mmX335mm
- Rated Thermal Flow (KW)-4.3/4.3
- Size: 710mmX400mmX80mm



VIOLA TRIPPLE BURNER

CODE: LPG-868734
NG-868735



- Triple Glass LPG & NG Built in hob
- Tempered Glass top panel
- Flame failure Device
- Brass Burner Cap, 50000 time auto Ignition
- Smock free tornado blue flame
- Cut out dimension: 685mmX362mm
- Size: 750mmX400mmX110mm



VIOLA FOUR BURNER

CODE: NG: 868736



- Four Burner Glass LPG & NG Built in hob
- Tempered Glass top panel
- Flame failure Device
- Brass Burner Cap, 50000 time auto Ignition
- Smock free tornado blue flame
- Cut out dimension: 565mm X 485mm
- Size: 580mmX500mmX60mm



TEMPARD GLASS DOUBLE BURNER GAS STOVE



SUNGLOW

CODE: LPG-828601



- Single Glass LPG Gas Stove
- Tempered Glass Top Panel
- 90mm & 25mm Brass Burner Cap
- 50000 Times Auto Ignition
- Tornado Blue Flame
- Rated Thermal Flow (KW)-3.4
- Size: 320mmx365mmx115mm



VALENTA

CODE: LPG-828597



- Single Glass LPG Gas Stove
- Tempered Glass Top Panel
- 90mm & 25mm Brass Burner Cap
- 50000 Times Auto Ignition
- Tornado Blue Flame
- Rated Thermal Flow (KW)-3.4
- Size: 320mmx365mmx115mm



TEMPARD GLASS DOUBLE BURNER GAS STOVE

PRINCESS

CODE: LPG-828837
NG-828835



- Tempered Glass Top Panel
- 100mm & 30mm Brass Burner Cap
- 50000 Times Auto Ignition
- Tornado Blue Flame
- Rated Thermal Flow (KW)-3.4/3.4
- Size: 720mmx380mmx115mm



JOSIE

CODE: LPG-828599
NG-828598



- Tempered Glass Top Panel
- 90mm & 25mm Brass Burner Cap
- 50000 Times Auto Ignition
- Tornado Blue Flame
- Rated Thermal Flow (KW)-3.4/3.4
- Size: 720mmx380mmx130mm



OLIVIA

CODE: LPG-828606
NG-828605



- Tempered Glass Top Panel
- 90mm & 25mm Brass Burner Cap
- 50000 Times Auto Ignition
- Tornado Blue Flame
- Rated Thermal Flow (KW)-3.4/3.4
- Size: 720mmx375mmx115mm



SILKY

CODE: LPG-828596
NG-828595



- Tempered Glass Top Panel
- 90mm & 25mm Brass Burner Cap
- 50000 Times Auto Ignition
- Tornado Blue Flame
- Rated Thermal Flow (KW)-3.4/3.4
- Size: 720mmx380mmx130mm



FIONA

CODE: LPG-828603
NG-828602



- Tempered Glass Top Panel
- 90mm & 25mm Brass Burner Cap
- 50000 Times Auto Ignition
- Tornado Blue Flame
- Rated Thermal Flow (KW)-3.4/3.4
- Size: 720mmx380mmx130mm



TEMPARD GLASS DOUBLE BURNER GAS STOVE

BLUEBELL

CODE: LPG-828837
NG-828835



- Tempered Glass Top Panel
- 100mm & 30mm Brass Burner Cap
- 50000 Times Auto Ignition
- Tornado Blue Flame
- Rated Thermal Flow (KW)-3.4/3.4
- Size: 720mmx380mmx115mm



ROSEE

CODE: LPG-828493
NG-828494



- Tempered Glass Top Panel
- 90mm & 25mm Brass Burner Cap
- 50000 Times Auto Ignition
- Tornado Blue Flame
- Rated Thermal Flow (KW)-3.4/3.4
- Size: 720mmx380mmx115mm



ELEGANT

CODE: LPG-828834
NG-828836



- Tempered Glass Top Panel
- 100mm & 30mm Brass Burner Cap
- 50000 Times Auto Ignition
- Tornado Blue Flame
- Rated Thermal Flow (KW)-3.4/3.4
- Size: 720mmx380mmx115mm



26 GR

CODE: LPG-80400
NG-80399



- Tempered Glass Top Panel
- 100mm & 30mm Brass Burner Cap
- 50000 Times Auto Ignition
- Tornado Blue Flame
- Rated Thermal Flow (KW)-3.4/3.4
- Size: 710mmx380mmx95mm



27 GR

CODE: LPG-80394
NG-80393



- Tempered Ceramic Top Panel
- 100mm & 30mm Brass Burner Cap
- 50000 Times Auto Ignition
- Tornado Blue Flame
- Rated Thermal Flow (KW)-3.4/3.4
- Size: 720mmx380mmx130mm



TEMPARD GLASS SINGLE BURNER GAS STOVE

SUNGLOW

CODE: LPG-828601



- Single Glass LPG Gas Stove
- Tempered Glass Top Panel
- 90mm & 25mm Brass Burner Cap
- 50000 Times Auto Ignition
- Tornado Blue Flame
- Rated Thermal Flow (KW)-3.4
- Size: 320mmx365mmx130mm



VALENTA

CODE: LPG-828597



- Single Glass LPG Gas Stove
- Tempered Glass Top Panel
- 90mm & 25mm Brass Burner Cap
- 50000 Times Auto Ignition
- Tornado Blue Flame
- Rated Thermal Flow (KW)-3.4
- Size: 320mmx365mmx130mm



PRINCESS

CODE: LPG-828597



- Single Glass LPG Gas Stove
- Tempered Glass Top Panel
- 90mm & 25mm Brass Burner Cap
- 50000 Times Auto Ignition
- Tornado Blue Flame
- Rated Thermal Flow (KW)-3.4
- Size: 320mmx365mmx130mm



JOSIE

CODE: LPG-828600



- Single Glass LPG Gas Stove
- Tempered Glass Top Panel
- 90mm & 25mm Brass Burner Cap
- 50000 Times Auto Ignition
- Tornado Blue Flame
- Rated Thermal Flow (KW)-3.4
- Size: 320mmx365mmx130mm



FIONA

CODE: LPG-828601



- Single Glass LPG Gas Stove
- Tempered Glass Top Panel
- 90mm & 25mm Brass Burner Cap
- 50000 Times Auto Ignition
- Tornado Blue Flame
- Rated Thermal Flow (KW)-3.4
- Size: 320mmx365mmx130mm



TEMPARD GLASS SINGLE BURNER GAS STOVE

OLIVIA

CODE: LPG-828604



- Single Glass LPG Gas Stove
- Tempered Glass Top Panel
- 90mm & 25mm Brass Burner Cap
- 50000 Times Auto Ignition
- Tornado Blue Flame
- Rated Thermal Flow (KW)-3.4
- Size: 320mmx375mmx115mm



SILKY

CODE: LPG-828597



- Single Glass LPG Gas Stove
- Tempered Glass Top Panel
- 90mm & 25mm Brass Burner Cap
- 50000 Times Auto Ignition
- Tornado Blue Flame
- Rated Thermal Flow (KW)-3.4
- Size: 320mmx365mmx130mm



BLUEBELL

CODE: LPG-828838



- Single Glass LPG Gas Stove
- Tempered Glass Top Panel
- 100mm & 30mm Brass Burner Cap
- 50000 Times Auto Ignition
- Rated Thermal Flow (KW)-3.4
- Size: 320mmx370mmx115mm



17GN

CODE: LPG-808922



- Single Glass LPG Gas Stove
- Tempered Glass Top Panel
- 100mm & 30mm Brass Burner Cap
- 50000 Times Auto Ignition
- Rated Thermal Flow (KW)-3.4
- Size: 320mmx370mmx115mm



ROSEE

CODE: LPG-828492



- Single Glass LPG Gas Stove
- Tempered Glass Top Panel
- 90mm & 25mm Brass Burner Cap
- 50000 Times Auto Ignition
- Tornado Blue Flame
- Rated Thermal Flow (KW)-3.4
- Size: 320mmx365mmx115mm



STAINLESS STEEL DOUBLE BURNER GAS STOVE

QUEEN CI

CODE: LPG-83500
NG-83499



- Stainless Steel Panel
- 100mm & 30mm Rotary CI Burner Cap
- Nickel Chrome Plated 5mm Thick Pan Support with Saucer Tray
- 50,000 Times Auto Ignition
- Rated Thermal Flow (KW)-3.4/3.4
- Size-720mmX380mmX120mm



2-04 SRB

CODE: LPG-83459
NG-83497



- Double Stainless Steel Gas Stove
- One Burner Big Another Burner Small
- Rotary Brass Burner Cap
- Tornado Blue Flame
- Low Gas Consumption
- Rated Thermal Flow (KW)-3.4/4.3
- Size-700mmX370mmX80mm



GRACE

CODE: LPG-828144
NG-828145



- Stainless Steel Panel
- 90mm SS & 25mm Brass Burner Cap
- Auto Ignition & Tornado Blue Flame
- 50,000 Times Auto Ignition
- Rated Thermal Flow (KW)-3.4/3.4
- Size: 680mmX380mmX95mm



JOLLY

CODE: LPG-868256



- Stainless Steel Panel
- 100mm Beehive CI Burner
- Nickel Chrome Plated 5mm Thick Pan Support with Saucer Tray
- 50,000 Times Auto Ignition
- Rated Thermal Flow (KW)-3.4
- Size-720mmX380mmX120mm



2-06 TRB

CODE: LPG-83457
NG-83978



- Non-Stick Body (Teflon Coated)
- 120mm Burner Cap & 45mm Simmer Burner Cap
- Auto Ignition with Tornado Blue flame
- Rotary Brass Burner Cap
- 50000 Times Auto Ignition
- Rated Thermal Flow (KW)-4.3/4.3
- Size: 730mmX400mmX85mm



STAINLESS STEEL GAS STOVE

MATRIX

CODE: LPG-808290
NG-808291



- Auto Ignition with Smoke Free Blue Flame
- 145mm & 120mm Big Burner Cap
- Stainless Steel Body
- 50000 Times Auto Ignition
- Loading Capacity: 30X30 kg
- Size: 730mmX380mmX120mm

2-41-NON AUTO


CODE: LPG-80390
NG-80389



- Non-Auto Double Burner Stove
- Stainless Steel Panel
- Beehive Iron Burner
- Rated Thermal Flow (KW)-3.4/3.4
- Size: 700mmX320mmX135mm

COMMERCIAL BURNER

CODE: LPG-801224



- Cast Iron Panel
- Stainless Steel Cover
- Auto Ignition & Blue Flame
- Used in Hotels & Restaurants
- Suitable for LPG
- 220mm Burner
- Rated Thermal Flow (KW)-6
- Size: 560mmX340mmX135mm

VIOLA WHITE

CODE: 828638



- Four Burner Table Top Gas Cooker
- Stainless Steel with White Color
- Four Multigas Euro Type Gas Burner
- Mechanical Timer
- Auto Ignition
- Free NG Nozzle Set
- Size: 575mmX500mmX50mm
- Made in Turkey

VIOLA INOX

CODE: 828639



- Four Burner Table Top Gas Cooker
- Stainless Steel with Inox Color
- Four Multigas Euro Type Gas Burner
- Mechanical Timer
- Auto Ignition
- Free NG Nozzle Set
- Size: 575mmX500mmX50mm
- Made in Turkey

STAINLESS STEEL SINGLE BURNER GAS STOVE

1-04 SRB

CODE: LPG-83458



- Stainless Steel Panel
- 100mm Beehive CI Burner
- Nickel Chrome Plated 5mm Thick Pan Support with Saucer Tray
- 50,000 Times Auto Ignition
- Suitable For LPG
- Rated Thermal Flow (KW)-3.4
- Size-310mmX380mmX120mm



ANGEL

CODE: LPG-828500



- Stainless Steel Panel
- 100mm Beehive CI Burner
- Nickel Chrome Plated 5mm Thick Pan Support with Saucer Tray
- 50,000 Times Auto Ignition
- Suitable For LPG
- Rated Thermal Flow (KW)-3.4
- Size-310mmX380mmX120mm



QUEEN

CODE: LPG-868226



- Stainless Steel Panel
- 100mm & 30mm Rotary CI Burner Cap
- Nickel Chrome Plated 5mm Thick Pan Support with Saucer Tray
- 50,000 Times Auto Ignition
- Suitable For LPG
- Rated Thermal Flow (KW)-3.4
- Size-310mm x 380mm x 120mm



1-41-NON AUTO


CODE: LPG-828839



- Non-Auto Single Burner Stove
- Stainless Steel Panel
- Beehive Iron Burner
- Rated Thermal Flow (KW)-3.4
- Size: 345mmX280mmX135mm



GAS STOVE ACCESSORIES



IGNITION SET NG-4.3
CODE: 85184



IGNITION SET NG-3.4
CODE: 85185



IGNITION SET LPG
CODE: 85186



STAND SQUARE BLACK
CODE: 85187



STAND ROUND BLACK
CODE: 80500



STAND ROUND SS COLOR
CODE: 85188



BURNER CAP RC 30MM-BRASS
CODE: 85183



BURNER CAP RC 45MM-BRASS
CODE: 85176



BURNER CAP RC 100MM-BRASS
CODE: 85181



BURNER CAP RC 120MM-BRASS
CODE: 85182



BURNER CAP NC 30MM-BRASS
CODE: 85180



BURNER CAP NC 45MM-BRASS
CODE: 85179



BURNER CAP NC 100MM-BRASS
CODE: 85177



BURNER CAP NC 120MM-BRASS
CODE: 85178



BURNER CAP NC 25mm BRASS
CODE: 868266

GAS STOVE ACCESSORIES



BURNER CAP NC 45mm CI
CODE: 868264



BURNER CAP RC 90mm BRASS
CODE: 868263



BURNER CAP RC 100mm CI
CODE: 868262



BURNER CAP RC 120mm CI
CODE: 868261



BURNER CAP NC 30mm METAL
CODE: 868265



BURNER BEEHIVE 100mm CI
CODE: 868260



BURNER 90mm CI
CODE: 868259



BURNER 100mm CI
CODE: 868258



BURNER 120mm CI
CODE: 868257



KNOB BAKELITE
CODE: 85175



COVE METAL
CODE: 85189



TRAY SS
CODE: 868267



GAS HOSE PIPE 8.5mm-YELLOW
CODE: 807009



BRAIDED HOSE PIPE 3/8"-RML
CODE: 70960



PIPE SINGLE
CODE: 868268



সিলিডারে সাধারণ রেগুলেটর ব্যবহারে
আপনি থাকেন এমনই ঝুঁকিতে



আর এফ এল

Gas Regulator

RFL Gas Regulator is a control device that maintains a defined pressure of a system by cutting off the flow of a gas or liquid when it reaches a set pressure. RFL Gas Regulator provides you accurate and safe gas flow, uninterrupted gas flow and ensure maximum gas use of cylinder.

GAS REGULATOR

PREMIUM-22

CODE: 801373



TURKEY-22

CODE: 828421



M-20

CODE: 808293



M-22

CODE: 808292



UROPA-LP22

CODE: 868409



MINI-22

CODE: 868410



MC-20

CODE: 808294



MC-22

CODE: 808295



UROPA-HP22

CODE: 868408





আর এফ এল

Gas Oven

RFL is your one stop solution for everything required to complete that your house needs. To cover your basic kitchen and cooking needs, RFL offers to Gas Oven to fit your need. Using the minimum LPG gas RFL ensures give you a better and easier cooking experience to prepare foods.

GAS OVEN

THE PREMIUM GAS STOVE

SPECIFICATION

- Auto Ignition ● Spacious Oven for Baking and Grilling ● Can be Used on Both LPG & NG Line
- Cast Iron Pan Support ● Glass Top Lid ● Oven Tray & Grid ● Oven Inner Lamp ● Double Glass Oven Door
- NG Nozzle Set Free ● Made in Turkey



Four Multigas Euro type Burners
with Safety Sensor



Mechanical
Timer



Push Button Ignition
for Gas Burner and Oven



Chicken Turnspit
for Grilling



AMBROSIA BLACK
CODE: 828640



AMBROSIA INOX
CODE: 828641



আর এফ এল

Cooker Hood

Keeping your kitchen grease free and smell free was never easier than this. RFL brings you Cooker Hood that will evacuate excess smoke while cooking ensuring the only byproduct of the cooking is the food and not the heat and combustion product. With our ranges of available Cooker Hood, RFL wants to bring you an experience of cooking that you will enjoy.

COOKER HOOD

71 GR/V

CODE: 75389



- Size: 28x20x5 inch
- Air suction: 615m³/h (max)
- Type: slim ventilation
- Power: 120w, Voltage: 220v, 50Hz
- Steel with grey color
- 3 speeds push button
- Stainless steel filter



90 GR/V

CODE: 75390



- Size: 36x20x5 inch
- Air suction: 615m³/h (max)
- Type: slim ventilation
- Power: 120w, Voltage: 220v, 50Hz
- Steel with grey color
- 3 speeds push button
- Stainless steel filter



SWING

CODE: 828105



- Size: 28x19x3.5 inch
- Air suction: 210m³/h
- Type: Slim Ventilation
- Lamp: Bulb 1x25w
- Power: 90w, Voltage: 220v, 50Hz
- Steel with black color
- 3 speeds push button
- Aluminium filter



C90SV

CODE: 75391



- Size: 36x20x20 inch
- Air suction: 815m³/h (max)
- Type: Chimney Ventilation
- Lamp: LED 2x2w
- Power: 140w, Voltage: 220v, 50Hz
- Stainless steel body
- 2 speeds push button
- Stainless steel filter



COOKER HOOD

SILVIA

CODE: 828103



- Size: 24x20x24.5 inch
- Air suction: 800m³/h
- Type: Chimney Ventilation
- Lamp: LED 2x2w
- Power: 200w, Voltage: 220v, 50Hz
- Steel with black color
- 2 speeds push button
- Color coated steel filter



GRAND

CODE: 828104



- Size: 36x20x18.5 inch
- Air suction: 1000m³/h
- Type: Chimney Ventilation
- Lamp: LED 2x2w
- Power: 200w, Voltage: 220v, 50Hz
- Stainless steel body
- 2 speeds push button
- Aluminium filter



LINDA

CODE: 960535



- Type: Chimney Ventilation
- Size: 700x360x390mm
- Power: 230W
- Voltage: 220 - 240V, 50Hz
- Lamp: LED 2x1.5W
- Air Suction: 750m³/h
- Touch & Motion Sensor

SOPHIA

CODE: 960537



- Type: Chimney Ventilation
- Size: 900x360x390mm
- Power: 230W
- Voltage: 220 - 240V, 50Hz
- Lamp: LED 2x1.5W
- Air Suction: 750m³/h
- Touch & Motion Sensor



অন করলেই
**পানির
উফান**



আর এফ এল

WATER PUMP

Water pump is a machine that used to increase the pressure of water in order to move it from one point to another. RFL water pumps are used to supply water for domestic, commercial & industrial, agricultural, drainage and other civil use.

RFL WATER PUMP

SURFACE PUMP SERIES

PERIPHERAL PUMP DOMESTIC WATER PUMP

TYPE OF APPLICATION:

Domestic, Industrial particularly developing high pressure and others Civil use Suitable for clean water handling.



PRODUCT RANGE/GENERAL

CODE	MODEL	POWER		CAPACITY		Sn. inch	Dn. inch
		HP	KW	H/m	Q-l/m		
85001	WP(Peripheral)1"X1"-0.5HP(RPm60-1)	0.5	0.37	40~5	5~40	1	1
868407	WP(Peripheral)1"X1"-0.5HP(RPm60-1)	0.5	0.37	40~5	5~40	1	1



SINGLE JET PUMP DOMESTIC WATER PUMP

TYPE OF APPLICATION:

Domestic and civil use, Suitable for clean water handling. Specially for collect water from WASA line.

PRODUCT RANGE/GENERAL

CODE	MODEL	POWER		CAPACITY		Sn. inch	Dn. inch
		HP	KW	H/m	Q-l/m		
85007	WP(Jet)1"X1"-0.5HP (RSJ 1CE)	0.5	0.37	29~11	5~35	1	1
85006	WP(Jet)1"X1"-0.75HP (RSJ 1BE)	0.7	0.5	34~15	5~35	1	1
80320	WP(Jet)1"X1"-1HP(RSJ 10m-L)	1	0.75	46~18	5~90	1	1
85002	WP(Jet)1"X1"-1HP (RSJ 10M)	1	0.75	46~18	5~90	1	1
85040	WP(Jet)1"X1"-1HP (RSJ 100XL)	1	0.75	41~3	5~70	1	1
85011	WP(Jet)1"X1"-1.5HP (RSJ 15M)	1.5	1.1	51~28	5~70	1	1
85027	WP(Jet)1¼"X1"-1.5HP (RSJ 3CL)	1.5	1.1	40~2	10~120	1¼	1
85031	WP(Jet)1.25"X1"-2HP (RSJ 3BH)	2	1.5	61~34	10~70	1¼	1

RFL WATER PUMP SURFACE PUMP SERIES

SINGLE JET (MB SERIES) DOMESTIC WATER PUMP

TYPE OF APPLICATION:

Domestic, Industrial particularly developing high pressure & others Civil use, Suitable for clean water handling. Build in Check Valve inside and able to collect water from WASA line.



PRODUCT RANGE/GENERAL

CODE	MODEL	POWER		CAPACITY		Sn. inch	Dn. inch
		HP	KW	H/m	Q-l/m		
85032	WP(Jet)1"X1"-1HP (RSJm 100MB)	1	0.75	30~10	30~60	1	1
85033	WP(Jet)1"X1"-1.5HP (RSJm 150MB)	1.5	1.1	40~20	30~65	1	1
85034	WP(Jet) 1½"X1½"-2.5HP (RSJm 250MB)	2.5	1.9	50~30	25~90	1½	1½



DOUBLE JET PUMP DOMESTIC WATER PUMP

TYPE OF APPLICATION:

Domestic and Civil use where static water level is abnormally low. suitable for clean water handling Section capacity 20m

PRODUCT RANGE/GENERAL

CODE	MODEL	POWER		CAPACITY		Sn. inch	Dn. inch
		HP	KW	H/m	Q-l/m		
85003	WP(DJet)1"X2"/1¼"-1HP (RDJm370-1A)	1	0.75	60~42	5~25	1	1

CENTRIFUGAL PUMP DOMESTIC WATER PUMP

TYPE OF APPLICATION:

Domestic, Garden and Civil use
Suitable for clean water handling.
Particularly for high pressure and water volume



PRODUCT RANGE/GENERAL

CODE	MODEL	POWER		CAPACITY		Sn. inch	Dn. inch
		HP	KW	H/m	Q-l/m		
80321	WP(Centrifugal)1"X1"-0.5HP (RCm-130)	0.5	0.37	24~9	15~50	1	1
85005	WP(Centrifugal)1"X1"-1HP (RACm158)	1	0.75	33~9	10~90	1	1
85012	WP(Centrifugal)1¼"X1"-1.5HP (RACm170)	1.5	1.1	33~8	10~140	1¼	1
85015	WP(Centrifugal)1½"X1"-2HP (XCm25/160A)	2	1.5	36~22	30~180	1½	1

RFL WATER PUMP SURFACE PUMP SERIES



IRRIGATION CENTRIFUGAL PUMP DOMESTIC WATER PUMP

TYPE OF APPLICATION:

Irrigation & industrial field in particular
for distributing hugh volume of water.
Suitable for clean water handling.

PRODUCT RANGE/GENERAL

CODE	MODEL	POWER		CAPACITY		Sn. inch	Dn. inch
		HP	KW	H/m	Q-l/m		
85008	WP(Irr)1½"X1½"-1HP (RAGm-1A)	1	0.75	19~5	25~250	1½	1½
85009	WP(Irr)2"X2"-1HP (RAHm-5B)	1	0.75	13~7	50~400	2	2
85010	WP(Irr)2"X2"-1.5HP (RAHm-5A)	1.5	1.1	14~7	50~450	2	2
85004	WP(Irr)3"X3"-1.5HP (RAHm-6C)	1.5	1.1	12~5	100~700	3	3
85014	WP(Irr)3"X3"-2HP (RAHm-6B)	2	1.5	14~6	100~800	3	3
85013	WP(Irr)4"X4"-3HP (RAHm-6AR)	3	2.2	16~7	100~1000	4	4
75405	WP(Irr)4"X4"-4HP (RAH 7BR)	4	3.0	12~5	300~1800	4	4
85022	WP(Irr)4"X4"-5.5HP (RAHm-7AR)	5.5	4.1	16~12	400~1600	4	4
868563	WP(Irr)2"X2"-2HP (RAHm-5AM)	2	1.5	23~3	100~520	2	2

MULTISTAGE CENTRIFUGAL COMMERCIAL WATER PUMP

TYPE OF APPLICATION:

Domestic, Civil & industrial field; in particular for
distributing water in combination with pressure and flow
Suitable for clean water handling.



PRODUCT RANGE/GENERAL

CODE	MODEL	POWER		CAPACITY		Sn. inch	Dn. inch
		HP	KW	H/m	Q-l/m		
85029	WP(Multistage)1½"X1"-2HP-1~(2HCP-160B)	2	1.5	57~15	20~165	1½	1
85136	WP(Multistage)1½"X1.25"-2HP-1~(2XCm25/160B)	2	1.5	52~15	20~150	1½	1¼
85016	WP(M.stg)1½"X1"-3HP -1~(2XCm25/160A)	3	2.2	59~20	40~200	1½	1
85017	WP(M.stg)1½"X1"-3HP -3~(2XC25/160A)	3	2.2	59~20	40~200	1½	1
85020	WP(Std)2"X1¼"-4HP-3~(XST32/160A)	4	3.0	36~15	80~600	2	1¼
85030	WP(Multistage)1½"X1.25"-3HP-1~(2XCm32/160A)	3	2.2	59~18	50~200	1½	1¼

RFL WATER PUMP INDUSTRIAL PUMP SERIES



HEAVY DUTY CENTRIFUGAL INDUSTRIAL WATER PUMP

TYPE OF APPLICATION:

Commercial & industrial field, in particular for distributing water in combination with pressure and flow Suitable for clean water handling.

PRODUCT RANGE/GENERAL

CODE	MODEL	POWER		CAPACITY		Sn. inch	Dn. inch
		HP	KW	H/m	Q-l/m		
868607	WP-P2CM40-160/22 3HP	3	2.2	55.5	317	2	1.5
868608	WP-P2C50-160/22 3HP (3P)	3	2.2	54.9	317	2	2
868611	WP-P2C 50-180/40 5.5HP (3P)	5.5	4	58.2	317	2	1.5
868613	WP-P2C 50-180/55 7.5HP (3P)	7.5	5.5	69.8	333	2	1.5
868614	WP-P2C 50-180/75 10HP (3P)	10	7.5	84.1	333	2	1.5

HEAVY DUTY CENTRIFUGAL INDUSTRIAL WATER PUMP

TYPE OF APPLICATION:

Commercial & industrial field, in particular for distributing water in combination with pressure and flow Suitable for clean water handling.



PRODUCT RANGE/GENERAL

CODE	MODEL	POWER		CAPACITY		Sn. inch	Dn. inch
		HP	KW	H/m	Q-l/m		
868610	WP-PST 32-200/40. 5.5HP (3P)	5.5	4	51.9	550	2	2
868612	WP-PST 50-160/55 7.5HP (3P)	7.5	5.5	32.4	1,383	3	2
868616	WP-PST 65-160/110 15HP (3P)	15	11	36.9	2,250	3	2
868618	WP-PST 65-200/150 20HP (3P)	20	15	46.6	2,000	3	2

RFL WATER PUMP INDUSTRIAL PUMP SERIES



HEAVY DUTY CENTRIFUGAL INDUSTRIAL WATER PUMP

TYPE OF APPLICATION:

Commercial & industrial field, in particular for distributing water in combination with pressure and flow
Suitable for clean water handling.

PRODUCT RANGE/GENERAL

CODE	MODEL	POWER		CAPACITY		Sn. inch	Dn. inch
		HP	KW	H/m	Q-l/m		
868615	WP-PGL 50-250A 10HP (Vertical) (3P)	10	7.5	73.1	583	2	2
868617	WP- PGL 80-160 I A 15HP (Vertical) (3P)	15	11	33.9	2,250	3	3

MULTISTAGE SS CENTRIFUGAL INDUSTRIAL WATER PUMP

TYPE OF APPLICATION:

Boiler, water treatment plant, hot water circulation and industrial field, in particular for distributing water in combination with pressure and flow
Suitable for clean water handling.
Maximum water temperature 120° C



PRODUCT RANGE/GENERAL

CODE	MODEL	POWER		CAPACITY		Sn. inch	Dn. inch
		HP	KW	H/m	Q-l/m		
868619	WP-CHLM 4-4 1HP	1	0.75	54.5	92	1	1
868621	WP-CHL 8-3 1.5HP (3P)	1.5	1.1	31.5	258	2	2
868622	WP-CHL 8-4 2HP (3P)	2	1.5	41.5	283	2	2
868623	WP-CHL 12-4 3HP (3P)	3	2.2	53.2	417	2	2

ফসলের প্রয়োজনে
গভীর থেকে পানি তুলে



আর এফ এল

SUBMERSIBLE PUMP

A submersible pump is a mechanical equipment that works by pushing the water toward the surface instead of pulling it. It has a hermetically sealed motor connected to the pump body that helps to push the fluid toward the surface. RFL Submersible Pump are used for domestic, industrial, irrigation, drainage line.

RFL SUBMERSIBLE PUMP

BORE WELL TYPE 3"

TYPE OF APPLICATION:

Used for domestic, garden pond and farms application



PRODUCT RANGE/GENERAL

CODE	MODEL	POWER		CAPACITY		WELL inch	DN. inch
		HP	KW	HEAD (m)	FLOW Q-l/m		
85780	3RKm100	1	0.7	15~50	35~10	3"	1"
85095	75QRm2/10	0.33	0.25	15~30~45	45~35~5	3"	1"
868227	Cyclone-75QRm4/06A	0.33	0.25	10~20~30	90~60~10	3"	1¼"
85096	75QRm2/14	0.5	0.4	20~40~55	45~35~5	3"	1"
868056	Cyclone-75QRm4/09A	0.5	0.4	13~25~37	90~60~20	3"	1¼"
85097	75QRm2/20	0.75	0.56	30~60~80	45~35~5	3"	1"
868270	Cyclone-75QRm4/12A	0.75	0.56	15~35~50	90~60~20	3"	1¼"
868515	Cyclone-75QRm4/16A	1	0.75	20~45~60	90~60~10	3"	1¼"
85098	75QRm2/27	1	0.7	35~75~115	45~35~5	3"	1"
828932	75QRm4/19A	1	0.7	20~55~65	100~60~20	3"	1¼"
85078	75QRm2/33A	1.5	1.1	40~90~110	60~35~5	3"	1¼"
828933	Cyclone-75QRm4/25A	1.5	1.1	25~60~80	100~60~20	3"	1¼"
85140	75QRm2/37A	2	1.5	30~130	50~10	3"	1¼"

RFL SUBMERSIBLE PUMP

BORE WELL TYPE 4"

TYPE OF APPLICATION:

Used for domesic, garden pond and farms Also used industrial Applications



PRODUCT RANGE/GENERAL

CODE	MODEL	POWER		CAPACITY		WELL inch	DN. inch
		HP	KW	HEAD (m)	FLOW Q-l/m		
828934	Speedy-100QRm6/05A	0.5	0.37	15-25~34	140-100~20	4"	1¼"
85080	Speedy-100QRm6/7-A	0.75	0.56	9-22~31	140-100~20	4"	1¼"
85051	4RKm100	1	0.7	10~50	45~5	4"	1"
85052	100QRm3/08-A	1	0.7	10~35~55	90-60~20	4"	1¼"
85782	100QRm 6/9A	1	0.7	20~40~55	140-100~20	4"	1¼"
85084	Energy-100QRm10/6-XL	1	0.7	12~20~35	240-180~60	4"	2"
868777	Speedy-100QRm	1	0.75	13~30~43	180-120~20	4"	1¼"
85085	Energy-100QRm10/8-XL	1.5	1.1	15~30~45	240-180~60	4"	2"
85082	Speedy-100QRm6/11-AA	1.5	1.1	30~55~80	140-100~20	4"	1½"
85053	100QRm3/12A	1.5	1.1	25~50~75	90-60~30	4"	1¼"
868874	Power-100QRm16/04-XL	1.5	1.1	9~15~23	350-250~50	4"	2"
85083	Speedy-100QRm6/15-AA	2	1.5	35~65~100	140-100~20	4"	1½"
85086	Energy-100QRm10/10-XL	2	1.5	15~35~55	240-180~60	4"	2"
868248	Power-100QRm16/06-XL	2	1.5	15~18~35	350-300~50	4"	2"
868618	100QRm8/10-XL	2	1.5	20~45~61	180-120~20	4"	2"
801088	Speedy-100QRm8/17-XL	3	2.2	30~75~100	180-120~20	4"	2"
85753	100QRm3/24A	2	1.5	33~110~150	80~50~20	4"	1¼"
85754	100QRm4/25A	3	2.2	55~116~160	100~70~30	4"	1¼"
868519	Power-100QRm16/09-XL	3	2.2	19~40~52	350-200~50	4"	2"
828936	100QR8-144/24-SS-XL(3~)	5.5	4.1	70~100~120	180-140~60	4"	2"
828937	100QR14-124/18-SS-XL(3~)	7.5	5.5	40~76~115	300-240~60	4"	2"

RFL SUBMERSIBLE PUMP

BORE WELL TYPE 5"/6"/8"/10"

TYPE OF APPLICATION:

Used for Irrigation Sector

Various Industries and institute



PRODUCT RANGE/GENERAL

CODE	MODEL	POWER		CAPACITY		WELL inch	DN. inch
		HP	KW	HEAD (m)	FLOW Q-l/m		
801022	125QRM30/3-2.2	3	2.2	10-15-25	670-500-250	5"	3"
801018	150QRm30/3-SS	4	3.0	10-24-35	700-500-100	6"	3"
801020	150QRm46/3-SS	5.5	4.1	10-25-40	1100-800-100	6"	4"
85077	150QRm30-04	5.5	4.1	10-30	800-300	6"	3"
801021	150QR46/3-SS(3-Phase)	5.5	4.1	10-25-40	1100-800-100	6"	4"
85751	150QRm30/4	7.5	5.6	10-40	900-400	6"	3"/4"
85763	RIP50/50	7.5	5.6	10-50	800-180	6"	3"
801019	150QR46/4-SS(3-Phase)	7.5	5.6	15-35-55	1100-800-100	6"	3"/4"
828341	175RIP100-32/02(3-Phase)	7.5	5.6	15-30	1700-550	8"	4"
808747	150QR46/05(3-Phase)	10	7.5	10-40-65	1100-800-100	6"	4"
828342	200RIP200-26/1(3-Phase)	12.5	9.3	12-26	3250-1050	8"	5"
828343	200RIP230-26/1(3-Phase)	20	15.0	10-25	4000-1600	10"	6"
828344	200RIP210-52/2(3-Phase)	30	22.0	25-50	3550-1250	10"	6"

RFL SUBMERSIBLE PUMP

DRAINAGE SUBMERSIBLE PUMP

TYPE OF APPLICATION:

Used for drainage line, sewage treatment plant
light irrigation, light dirty water lifting and garden use



PRODUCT RANGE/GENERAL

CODE	MODEL	POWER		CAPACITY		WELL inch	DN. inch
		HP	KW	HEAD (m)	FLOW Q-l/m		
85090	50XTm10-10-0.75	1	0.7	10	250	Open	2"
85091	50XTm15-10-1.1	1.5	1.1	11	350	Open	2"
85092	50XTm15-15-1.5	2	1.5	12	450	Open	2"
828335	50WQDSC18-12-0.75-SS	1	0.8	10	330	Open	2"
828337	50WQDSC36-15-1.5-SS	2	1.5	16	517	Open	2"
828338	75WQDSC54-20-2.2-SS	3	2.2	20	890	Open	3"
85093	75WQ40-15-4(3- Phase)	5.5	4.1	15	850	Open	3"
85094	WQ100-25-11(3-Phase)	15	11.2	25	1700	Open	4"
828995	50QDX10-16-0.75	1	0.75	17	190	Open	2"

ফ্যাক্টরী কাজে আরও
গতিসহ্য করতে ব্যবহার করুন
আরএফএল ইলেকট্রিক মোটর



আর এফ এল
ELECTRIC MOTOR

RFL electric motor is an electrical machine that converts electrical energy into mechanical energy. RFL electric motor is applicable for cutting machine, pumps and fans conveyors machines tools of farm duty and food process. RFL electric motor will makes your business more dynamic and profitable.

RFL ELECTRIC MOTOR

SINGLE PHASE PLAIN BODY RJY SERIES

TYPE OF APPLICATION:

Driving motor, Air compressors, Refrigerators
Medical apparatus, Small machines which demand
full load starting.



MODEL NAME & SPECIFICATION (2 POLE)

CODE	MODEL	HP	KW	VOLTAGE	RPM	SHAFT DIA
80460	RJY 09A-4	0.25	0.19	220V	1450	16mm
80461	RJY1A-4	0.5	0.375			16mm
80462	RJY 2B-4	0.75	0.56			19mm
80463	RJY 2A-4	1	0.75			19mm



SINGLE PHASE RYC SERIES

TYPE OF APPLICATION:

Air Compressors, Refrigerator
Remedy apparatus and machine tools

MODEL NAME & SPECIFICATION (2 POLE)

CODE	MODEL	HP	KW	VOLTAGE	RPM	SHAFT DIA
80456	RYC 90 S - 2	1	0.75	440V	2900	24mm
80457	RYC 100 L1- 2	2	1.5			28mm
80458	RYC 112M-2	3	2.3			28mm
80459	RYC 132S-2	5	4			38mm


MODEL NAME & SPECIFICATION (4 POLE)

CODE	MODEL	HP	KW	VOLTAGE	RPM	SHAFT DIA
85164	RYC 802 -4	0.5	0.375	220V	1450	19mm
80450	RYC 90S-4	0.75	0.56			24mm
85165	RYC 90L-4	1	0.75			24mm
85173	RYC 100L1-4	1.5	1.1			28mm
85167	RYC 100L2-4	2	1.5			28mm
85169	RYC 112M-4	3	2.3			28mm
85170	RYC 132M-4	5.5	4			38mm

RFL ELECTRIC MOTOR


SINGLE PHASE RYL SERIES 4 POLE

TYPE OF APPLICATION:
Air compressore Medical instruments
and small machine tools



MODEL NAME & SPECIFICATION (2 POLE)

CODE	MODEL	HP	KW	VOLTAGE	RPM	SHAFT DIA
828962	RYL 802L-4	0.75	0.56	220V	1450	19mm
85152	RYL 90L-4	1	0.75			24mm
801368	RYL 90L-4	1.5	1.10			24mm
85154	RYL 90L-4	2	1.5			24mm
85156	RYL 100L1-4	3	2.3			28mm
85160	RYL 112M-4	5.5	4			28mm
85161	RYL 132M-4	7.5	5.5			38mm
85174	RYL 160L-4	10	7.5			42mm



THREE PHASE RY SERIES 4 POLE

TYPE OF APPLICATION:
General purpose including cutting machines
pumps, fans conveyors machines tools
of farm duty and food process.

MODEL NAME & SPECIFICATION (4 POLE)


CODE	MODEL	HP	KW	VOLTAGE	RPM	SHAFT DIA
80454	RY80M 1-4	0.75	0.56	440V	1450	19mm
85151	RY80M2-4	1	0.75			19mm
80455	RY 90S -4	1.5	1.1			24mm
85153	RY90L-4	2	1.5			24mm

RFL ELECTRIC MOTOR

THREE PHASE RY2 SERIES

TYPE OF APPLICATION:

General purpose including cutting machines, pumps, fans conveyors machines tools of farm duty and food process.



MODEL NAME & SPECIFICATION (2 POLE SERIES)


CODE	MODEL	HP	KW	VOLTAGE	RPM	SHAFT DIA
80300	RY2-80M-2	1	0.75	440V	2950	19
80301	RY2-90S-2	2	1.5			24
80302	RY2-90L-2	3	2.3			24
80303	RY2 112 M-2	5.5	4			28
80304	RY2 132M-2	7.5	5.6			38
80305	RY2 132L- 2	10	7.5			38
80306	RY2-160M1-2	15	11			42
80307	RY2-160M2-2	20	15			42
80308	RY2-160L-2	25	18.8			42
80309	RY2-180M-2	30	22.5			48
80310	RY2-200L1-2	40	30			55
80311	RY2-200L2-2	50	37.5			55
80312	RY2 225 M- 2	60	45			55
808347	RY2-250M-2	75	56			60
808348	RY2-280S-2	100	75			65

RFL ELECTRIC MOTOR

THREE PHASE RY2 SERIES

TYPE OF APPLICATION:

General purpose including cutting machines, pumps, fans conveyors machines tools of farm duty and food process.



MODEL NAME & SPECIFICATION (4 POLE)

CODE	MODEL	HP	KW	VOLTAGE	RPM	SHAFT DIA
85168	RY2-90L-4	2	1.5	440V	1450	24mm
85155	RY2-100L-4	3	2.3			28mm
85157	RY2 112M-4	5.5	4			28mm
85158	RY2 132S-4	7.5	5.6			38mm
85159	RY2 132M-4	10	7.5			38mm
85162	RY2 160M-4	15	11			42mm
85163	RY2 160L-4	20	15			42mm
85171	RY2 180M-4	25	18.8			48mm
85172	RY2 180L-4	30	22.5			48mm
80451	RY2 200L-4	40	30			55mm
80452	RY2 225S-4	50	37.5			60mm
80453	RY2 225M-4	60	45			60mm
808345	RY2-250M-4	75	56			65mm
808346	RY2-280S-4	100	75			75mm

MODEL NAME & SPECIFICATION (6 POLE)

CODE	MODEL	HP	KW	VOLTAGE	RPM	SHAFT DIA
80313	RY2-90S-6	1	0.75	440V	1000	24mm
80314	RY2 100 L-6	2	1.5			28mm
80315	RY2 112M-6	3	2.3			28mm
80316	RY2 132M-6	5.5	4			38mm
80317	RY2 132L-6	7.5	5.6			38mm
80318	RY2 160M-6	10	7.5			42mm



RFL water geyser and instant water heater are important appliance that is used during winter as few things are as soothing or relaxing as a warm shower. RFL water geyser & instant water heater makes your shower warm and comfortable.

RFL GEYSER

ELECTRIC APPS CONTROL GEYSER HYBRID

SPECIFICATION

- Type : Vertical series
- Frequency : 50hz
- Adjustable water temp. : 30°C to 75°C
- Rated pressure : 8bar
- Water proof degree : ipx4
- Wi-Fi and remote control
- Can on-off from anywhere by apps
- 5 star energy savings
- 4 mode of power setting
- Triple safety protection
- Blue diamond enamel coated tank
- Digital display
- 2 years warranty



CODE	CAPACITY	POWER	VOLT	PRODUCT SIZE
960154	30 Liter	1500-3000W	220V	445x445x410 mm (17.52x17.52x16.14 inch)

REMOTE CONTROL GEYSER ROBOT

SPECIFICATION

- Type : Vertical series
- Control type : remote
- Frequency : 50hz
- Adjustable water temp. : 25°C to 75°C
- Rated pressure : 0.8mpa
- Water proof degree : ipx4
- 2 years warranty



CODE	CAPACITY	POWER	VOLT	PRODUCT SIZE
868818	30 Liter	2000W	220V	435x435x370 mm (17.12x17.12x14.56 inch)

GEYSER ROBOARD

SPECIFICATION

- Type : Vertical series
- Frequency : 50hz
- Adjustable water temp. : 30°C to 75°C
- Rated pressure : 0.02~0.8mpa
- 2 years warranty



CODE	CAPACITY	POWER	VOLT	PRODUCT SIZE
960155	10 Liter	2000W	220V	432 x 280 x 283mm (17"x11"x11.14")
960156	15 Liter	2000W	220V	460 x 320 x 324mm (18.11"x12.6"x12.75")

RFL GEYSER

GEYSER ROYAL

SPECIFICATION

- Type : Vertical wall mounting
- Frequency : 50hz
- Adjustable water temp. : ambient to 75°C
- Rated pressure : 0.8mpa
- Water proof degree : ipx4
- 2 years warranty

CODE	CAPACITY	POWER	VOLT	PRODUCT SIZE
868819	30 Liter	2000W	220V	Ø410mm x 473mm (Ø16.14" x 18.62")
868820	50 Liter	2000W	220V	Ø410mm x 620mm (Ø16.14" x 24.4")



REMOTE CONTROL GEYSER GLITTER

SPECIFICATION

- Type : vertical wall mounting
- Temperature : max 75°C
- High impact resistant abs body
- IPX4 water proof
- Suitable for both bathroom & kitchen
- Under or above sink installation facility
- Adjustable water temperature
- Low power consumption
- Triple safety protection
- Auto stop after warm
- 2 years warranty

CODE	CAPACITY	POWER	VOLT	PRODUCT SIZE
828110	20 Liter	2000W	220V	385x318x385mm (15.15"x12.52"x15.15")
828111	30 Liter	2000W	220V	435x385x435mm (17.12"x15.15"x17.12")



REMOTE CONTROL GEYSER GLITTER

SPECIFICATION

- Type : Vertical wall mounting
- Frequency : 50hz
- Adjustable water temp. : Ambient to 75°C
- Protection : IPX4 water proof
- Under above sink installation facility
- Triple safety protection
- High impact resistance abs body
- 2 years warranty

CODE	CAPACITY	POWER	VOLT	PRODUCT SIZE
868817	6 Liter	2000W	220V	270x270x255mm (10.63"x10.63"x9.84")



RFL GEYSER

DIGITAL DISPLAY GEYSER ROLAND

SPECIFICATION

- Type : Horizontal series
- Frequency : 50hz
- Adjustable water temp. : ambient to 75°C
- Rated pressure : 0.8mpa
- water proof degree : IPX4
- Down inlet/outlet
- Triple safety protection
- Triple power input mode
- 2 years warranty



CODE	CAPACITY	POWER	VOLT	PRODUCT SIZE
868821	30 Liter	2000W	220V	Ø416mm x 480mm (Ø16.38"x18.9")
868822	50 Liter	2000W	220V	Ø416mm x 630mm (Ø16.38"x24.8")

GEYSER GLAMOUR

SPECIFICATION

- Temperature : max 75°C
- Type : Multi installation
- IPX4 water proof
- Side inlet/outlet
- Adjustable water temperature
- Auto stop function
- Adjustable thermostat
- Made in Bangladesh
- 2 years warranty



CODE	CAPACITY	POWER	VOLT	PRODUCT SIZE
868687	15 Liter	2000W	220V	Ø-381x381mm (Ø-15"x15")
868688	25 Liter	2000W	220V	Ø-381x482mm (Ø-15"x19")
828764	35 Liter	2000W	220V	Ø-381x548mm (Ø-15"x21.6")
808197	45 Liter	2000W	220V	Ø-381x640mm (Ø-15"x25.2")
868689	55 Liter	2000W	220V	Ø-381x781mm (Ø-15"x30.75")
828763	70 Liter	2000W	220V	Ø-381x970mm (Ø-15"x38.2")

RFL GEYSER

GEYSER GLORY

SPECIFICATION

- High quality heater made by Italy
- High quality puf insulation
- Heavy duty inner tank
- Working pressure 7Bar (100PSI)
- Outer body made with spcc 0.5mm with powder coating which is rust proof glossy & durable
- Heater automatically shuts off after reaching 70°C heat
- Made in Bangladesh
- 2 years warranty

CODE	CAPACITY	POWER	VOLT	PRODUCT SIZE
868690	45 Liter	1500W	220V	Ø-457x305mm (Ø-18"x12")



GEYSER GLOSSY

SPECIFICATION

- Tank system water heater
- Heavy duty inner tank
- High quality PUF insulation
- Working pressure 7Bar
- Rust-proof body made with 201 grade non-magnetic SS sheet
- Adjustable water temperature
- Adjustable thermostat
- Heating element made by Italy
- Made in Bangladesh
- 2 years warranty

CODE	CAPACITY	POWER	VOLT	PRODUCT SIZE
868120	30 Liter	1500W	220V	Ø-457x254mm (Ø-18"x10")
75430	45 Liter	1500W	220V	Ø-457x305mm (Ø-18"x12")
828551	67 Liter	1500W	220V	Ø-457x356mm (Ø-18"x14")
75431	90 Liter	2000W	220V	Ø-457x406mm (Ø-18"x16")



INSTANT GEYSER SWIFT

SPECIFICATION

- Frequency : 50hz
- Rated water temperature : 30°C to 75°C
- Rated pressure : 8 Bar
- Water proof degree : IPX4
- Heating efficiency : >90%
- Cord wire : 16 AMP

CODE	POWER	VOLT
960175	3000W	220V



RFL GEYSER

INSTANT WATER HEATER PRESTIGE DIGITAL

SPECIFICATION

- Heating element : Cast aluminium
- Electric current : 0-20.46A
- Hydraulic pressure : 0.02-0.6MPA
- Waterproof degree : IPX4
- Rated water flow : 2-6L/min
- Over temperature protection : 55°C
- Panel material : ABS with LED temperature display
- Small size & easy to install
- Hot water in just 5 seconds
- LED multi-functional display shows temperature setting with inlet outlet water temperature
- Dry heating & over heating protection
- Die-cast aluminum heating element ensures separation of water & electricity



CODE	POWER	VOLT	PRODUCT SIZE
868824	4-6 KW	220V	260x80x260mm (10.23"x3.15"x10.23")

INSTANT WATER HEATER COMFORT & LUXURY

SPECIFICATION

- Capacity : 6 Ltr/min
- Electronic temperature control
- High impact resistant abs body
- Copper heating element
- Suitable for both bathroom & kitchen
- Hot water in just 5 seconds
- Made in Malaysia



CODE	MODEL	POWER	VOLT	PRODUCT SIZE
808195	LUXURY	4.5KW	220V	240x360x110mm (9.45"x14.17"x4.33")
808196	COMFORT	4.5KW	220V	240x360x110mm (9.45"x14.17"x4.33")

DIGITAL SHOWER MIXER SPLASH

SPECIFICATION

- CE certification
- Water temp. Range: 29~48°C, ±1°C
- Working water pressure: 0.05-0.6MPA
- Water flow: 15L/min
- Default temp. : 38°C with temp. Memory function
- Digital display, touch control button, color changing led indicator
- Water temp. Is saved on memory for next time using
- Water flow stops automatically in 2 seconds when temp. Higher than 50°C
- Without cold water inlet faucet stops water automatically
- Save 30% water and power



CODE	PRODUCT SIZE
868823	167x100x50mm (6.57"x3.94"x1.96")

মরিচা প্রতিরোধক আসল ব্রাস ভাল্ভ
কোয়ালিটিতে আপোষহীন




আর এফ এল
VALVE
আর নয় পানির অপচয়

RFL Valves are used to optimize the pipeline operating conditions, and can be found in the upstream, midstream and downstream section of the piping.

RFL VALVE

BRASS CHECK VALVE

- 100% brass body & core
- SS strainer



ITEM CODE	MODEL
801069	Brass Check Valve 0.5"
801070	Brass Check Valve 0.75"
801071	Brass Check Valve 1"
801072	Brass Check Valve 1.25"
801073	Brass Check Valve 1.5"
801074	Brass Check Valve 2"

BRASS GATE VALVE

- 100% brass body & key
- Iron handle



ITEM CODE	MODEL
808700	Brass Gate Valve 0.5"
808701	Brass Gate Valve 0.75"
808702	Brass Gate Valve 1"
808703	Brass Gate Valve 1.25"
808704	Brass Gate Valve 1.5"
808705	Brass Gate Valve 2"

BRASS LINE CHECK VALVE

- 100% brass body & core
- Flexible mild steel spring



ITEM CODE	MODEL
808706	Brass Line Check Valve 0.75"
808718	Brass Line Check Valve 1"
808707	Brass Line Check Valve 1.25"
808708	Brass Line Check Valve 1.5"
808719	Brass Line Check Valve 2"

RFL VALVE

BRASS BALL VALVE

- 100% brass body & ball
- Nickel coated body & ball
- Mild steel handle with rubber grip
- 100% PTFE seal protection



ITEM CODE	MODEL
801063	Brass Ball Valve S-0.5"
801064	Brass Ball Valve S-0.75"
801065	Brass Ball Valve S-1"
801066	Brass Ball Valve S-1.25"
801067	Brass Ball Valve S-1.5"
801068	Brass Ball Valve S-2"

BRASS BALL VALVE-SQUARE

- 100% brass body & ball
- Mild steel handle with rubber grip
- 100% PTFE seal protection



ITEM CODE	MODEL
868546	Brass Ball Valve Square 0.75"
868547	Brass Ball Valve Square 1"

BRASS CHECK VALVE PS

- 100% brass made body
- 100% ABS strainer



ITEM CODE	MODEL
828831	Brass Check Valve PS 1"
828832	Brass Check Valve PS 3/4"



মটর, পাম্প, ট্রাক্টর, পাওয়ার টিলার, শ্যালো মেশিন, মটর সাইকেল
অটো বাইক, ফ্যান ও অন্যান্য মেশিনে ব্যবহার উপযোগী



আর এফ এল

BEARING

RFL provides you various types of machine bearing. These bearings are used primarily in machine tools, which demand bearings made with materials and structures that deliver outstanding durability and resistance.

RFL BEARING

MACHINE BEARING ZZ SERIES



ITEM CODE	MODEL
868017	T- Bearing 6001 ZZ
868018	T- Bearing 6002 ZZ
868019	T- Bearing 6003 ZZ
868020	T- Bearing 6004 ZZ
868021	T- Bearing 6005 ZZ
868022	T- Bearing 6006 ZZ
868023	T- Bearing 6007 ZZ
868024	T- Bearing 6008 ZZ
808941	T- Bearing 6201 ZZ
808942	T- Bearing 6202 ZZ
808943	T- Bearing 6203 ZZ
808944	T- Bearing 6204 ZZ
808945	T- Bearing 6205 ZZ
808946	T- Bearing 6206 ZZ
808956	T- Bearing 6301 ZZ
808957	T- Bearing 6302 ZZ
808958	T- Bearing 6303 ZZ
808959	T- Bearing 6304 ZZ
808960	T- Bearing 6305 ZZ
808923	T- Bearing 6306 ZZ
868015	T- Bearing 6211 ZZ
868016	T- Bearing 6212 ZZ

MACHINE BEARING 2RS SERIES



ITEM CODE	MODEL
868025	T- Bearing 6201 2RS
868026	T- Bearing 6202 2RS
868027	T- Bearing 6203 2RS
868028	T- Bearing 6302 2RS

MACHINE BEARING BALL SERIES



ITEM CODE	MODEL
808932	T- Bearing 6209
808938	T- Bearing 6210
808948	T- Bearing 6301
808949	T- Bearing 6302
808950	T- Bearing 6303
808952	T- Bearing 6304
808953	T- Bearing 6305
808954	T- Bearing 6306
808933	T- Bearing 6307
808934	T- Bearing 6308
808935	T- Bearing 6309
808937	T- Bearing 6310
808939	T- Bearing 6311
808940	T- Bearing 6312

BALL BEARING



ITEM CODE	MODEL
808936	T- Bearing 6003
808924	T- Bearing 6201
808925	T- Bearing 6202
808926	T- Bearing 6203
808927	T- Bearing 6204
808928	T- Bearing 6205
808929	T- Bearing 6206
808930	T- Bearing 6207
808931	T- Bearing 6208

সঠিক পরিমাপ!
আনে ব্যবসায় লাভ!




আর এফ এল

**DIGITAL
WEIGHING SCALE**
a measure of confidence

RFL Weighing Scale is an instrument which is used to determine the weight or mass of an object. Available in a wide range of sizes which gives you the surety of accurate weight.

RFL WEIGHING SCALE



PERSONAL SCALE SS T. GLS LIGHTING DISPLAY CODE: 868815

- Max Capacity: 180 kg
- Division: 100gm
- Tempered Glass Panel
- 1.5" LCD Display
- Stainless Steel & Blue Backlight Display
- 2 Pcs 1.5V AAA Battery Free



PERSONAL SCALE T. GLS LIGHTING DISPLAY CODE: 868814

- Max Capacity: 180 kg
- Division: 100gm
- Tempered Glass Panel
- 2" LCD Display
- White Backlight Display
- 2 Pcs 1.5V AAA Battery Free



PERSONAL SCALE MAGIC DISPLAY CODE: 868816

- Max Capacity: 180 kg
- Division: 100gm
- ABS Plastic Panel with Rubber Foot Grip
- Large LED Magic Display
- 4 Pcs 1.5V AAA Battery Free



PERSONAL SCALE BABY SCALE-20KG CODE: 868247

- Max Capacity: 20 kg
- ABS Material Body
- LCD Display
- 2 Pcs 1.5V AA Battery Free



KITCHEN SCALE 5KG - GREEN CODE: 80356

- Max Capacity: 5 kg
- PS Material Body
- Transparent Bowl for Measuring
- LCD Display with Backlight
- 2 Pcs 1.5V AA Battery Free

RFL WEIGHING SCALE



**TABLE TOP SCALE
20KG**

CODE: 868246

- Max Capacity: 20 kg
- ABS Body & Stainless Steel Tray
- Dual Side Bright LED Display
- Lead Acid Battery
- Tray Size : 270x210 mm
- Digital Clock Function
- Charge Saving Scale



**TABLE TOP SCALE
30KG (ACS-668A)**

CODE: 75421

- Max Capacity: 30 kg
- ABS Body & Stainless Steel Tray
- Dual Side Bright LED Display
- Lead Acid Battery
- Tray Size : 330x240 mm
- Charge Saving Scale



**TABLE TOP SCALE
30KG (RFL-SS-T)**

CODE: 828762

- Max Capacity: 30 kg
- Non-magnetic Stainless Steel Body & Tray
- Dual Side Bright LED Display
- Lead Acid Battery
- Tray Size : 300x210 mm
- Charge Saving Scale



**TABLE TOP SCALE
40KG (ACS-768)**

CODE: 75420

- Max Capacity: 40 kg
- Non-magnetic Stainless Steel Body & Tray
- Dual Side Bright LED Display
- Lead Acid Battery
- Tray Size : 300x210 mm
- Charge Saving Scale

RFL WEIGHING SCALE



PLATFORM SCALE 60KG-SMALL

CODE: 868624

- Max Capacity: 60 kg (division-5gm)
- SS Tray, SS indicator & SS button
- Platform Size: 340x300mm/34x30cm
13.6x12inch (approx.)
- Lead Acid Battery
- Bright LED Display
- Charge Saving Scale



PLATFORM SCALE (LA-116x100) 100KG

CODE: 808996

- Max Capacity: 100 kg
- Non-magnetic SS Tray and Monitor
- Platform Size: 300x400mm/30x40cm
12x16inch (approx.)
- MS Back Grill
- Non-Magnetic SS Pole
- Carbon Steel Structure with
Powder Coating
- Lead Acid Battery
- Bright LED Display
- Charge Saving Scale



PLATFORM SCALE (LA-116x200) 200KG

CODE: 808698

- Max Capacity: 200 kg
- Non-magnetic SS Tray and Monitor
- Platform Size: 400x500mm/40x50cm
16x20inch (approx.)
- MS Back Grill
- Non-Magnetic SS Pole
- Carbon Steel Structure with
Powder Coating
- Lead Acid Battery
- Bright LED Display
- Charge Saving Scale

RFL WEIGHING SCALE



**PLATFORM SCALE
(LA-116x300) 300KG**

CODE: 808998

- Max Capacity: 300 kg
- Non-magnetic SS Tray and Monitor
- Platform Size: 450x600mm/45x60cm
18x24inch (approx.)
- MS Back Grill
- Non-Magnetic SS Pole
- Carbon Steel Structure with Powder Coating
- Lead Acid Battery
- Bright LED Display
- Charge Saving Scale



**PLATFORM SCALE
(LA-116x500) 500KG**

CODE: 808699

- Max Capacity: 500 kg
- Non-magnetic SS Monitor
- Platform Size: 600x800mm/60x80cm
24x32inch (approx.)
- MS Back Grill
- Checkered Plate Tray & SS Pole
- Carbon Steel Structure with Powder Coating
- Lead Acid Battery
- Bright LED Display
- Charge Saving Scale



**PLATFORM SCALE
INDUSTRIAL SCALE-1000KG**

CODE: 828291

- Max Capacity: 1000 kg
- Movable Standing Pole for Monitor
- Platform Size: 800x800mm/80x80cm
32x32inch (approx.)
- Back Grill with MS Box
- Checkered Plate Tray
- Weighing & Pricing Indicator
- Lead Acid Battery
- Jumbo Load Cell
- Bright LED Display

XPART WEIGHING SCALE



KITCHEN SCALE 5KG

CODE: 801360

- Max Capacity: 5kg
- LCD Display
- Support Both AC & DC Power



TABLE TOP SCALE 30KG (YY-768 POPULAR)

CODE: 808166

- Max Capacity: 30 kg
- ABS Body & Stainless Steel Tray
- Dual Side Bright LED Display
- Lead Acid Battery
- Tray Size: 330x240 mm
- Charge Saving Scale



TABLE TOP SCALE 40KG (POPULAR)

CODE: 828978

- Max Capacity: 40 kg
- ABS Body & Stainless Steel Tray
- Dual Side Bright LED Display
- Lead Acid Battery
- Tray Size: 340x230 mm
- Charge Saving Scale



PLATFORM SCALE 60KG (MINI)

CODE: 828765

- Max Capacity: 60 kg
- SS Tray and Monitor
- Platform Size: 300x300mm
30x30cm/12x12inch (approx.)
- Powder Coating with
MS Back Grill
- Lead Acid Battery
- Bright LED Display
- Charge Saving Scale

XPART WEIGHING SCALE



PLATFORM SCALE 100KG-MS FOLDING

CODE: 75423

- Max Capacity: 100 kg
- SS Monitor & Button
- Platform Size: 300x400mm/30x40cm
12x16inch (approx.)
- MS Back Grill
- Checkered Plate Tray
- Folding Pole with Carbon Steel Structure
- Lead Acid Battery
- Bright LED Display
- Charge Saving Scale



PLATFORM SCALE 200KG-MS FOLDING

CODE: 801384

- Max Capacity: 200 kg
- SS Monitor & Button
- Platform Size: 400x500mm/40x50cm
16x20 inch (approx.)
- MS Back Grill
- Checkered Plate Tray
- Folding Pole with Carbon Steel Structure
- Lead Acid Battery
- Bright LED Display
- Charge Saving Scale



PLATFORM SCALE-200KG MS FOLDING WITH WHEEL

CODE: 828286

- Max Capacity: 200 kg
- SS Monitor & Button
- Platform Size: 400x500mm
40x50cm/16x20 inch (approx.)
- MS Back Grill
- Checkered Plate Tray with Wheel
- Folding Pole with Carbon Steel Structure
- Lead Acid Battery
- Bright LED Display
- Charge Saving Scale

XPART WEIGHING SCALE



PLATFORM SCALE
300KG-MS FOLDING
CODE: 801399

- Max Capacity: 300 kg
- SS Monitor & Button
- Platform Size: 450x600mm/45x60cm
18x24 inch (approx.)
- MS Back Grill
- Checkered Plate Tray
- Folding Pole with Carbon Steel Structure
- Lead Acid Battery
- Bright LED Display
- Charge Saving Scale



PLATFORM SCALE-300KG
MS FOLDING WITH WHEEL
CODE: 801398

- Max Capacity: 300 kg
- SS Monitor & Button
- Platform Size: 400x500mm/40x50cm
16x20 inch (approx.)
- MS Back Grill
- Checkered Plate Tray with Wheel
- Folding Pole with Carbon Steel Structure
- Lead Acid Battery
- Bright LED Display
- Charge Saving Scale"



দেশের উন্নয়ন হোক এক্সপার্ট টুলস্-এর সাথে

কলকারখানা ও শিল্প-প্রযুক্তির উন্নতির এই অগ্রযাত্রায়
পাশে আছে এক্সপার্ট টুলস্



HARDWARE TOOLS

যন্ত্র অনেক মন্ত্র একটাই

Xpart Hardware Tools makes your daily life and technical work easier and hassle free. Xpart Hardware Tools has screw driver, align key, hammer, hack saw, hand saw.

XPART HARDWARE TOOLS

SCREW DRIVER

- Blade: CR-V and Carbon Steel
- Handle: PP, TP, PVC
- Blade Dia: 5mm, 6mm & 6.5mm
- Size: 4" to 12"



SCREW DRIVER RB

CODE	MODEL	DO UNIT	MASTER BOX
828245	Screw Driver Flat Rb (6×100mm) 4"	12	240
828246	Screw Driver Star Rb (6×100mm) 4"	12	240
828247	Screw Driver Flat Rb (6×150mm) 6"	12	120
828248	Screw Driver Star Rb (6×150mm) 6"	12	120
828249	Screw Driver Flat Rb (6×200mm) 8"	12	120
828250	Screw Driver Star Rb (6×200mm) 8"	12	120
828251	Screw Driver Flat Rb (6×250mm) 10"	12	120
828252	Screw Driver Star Rb (6×250mm) 10"	12	120
828253	Screw Driver Flat Rb (6×300mm) 12"	12	120
828254	Screw Driver Star Rb (6×300mm) 12"	12	120



SCREW DRIVER R

CODE	MODEL	DO UNIT	MASTER BOX
828255	Screw Driver Flat R (6×100mm) 4"	12	240
828256	Screw Driver Star R (6×100mm) 4"	12	240
828257	Screw Driver Flat R (6×150mm) 6"	12	120
828258	Screw Driver Star R (6×150mm) 6"	12	120
828259	Screw Driver Flat R (6×200mm) 8"	12	120
828260	Screw Driver Star R (6×200mm) 8"	12	120
828261	Screw Driver Flat R (6×250mm) 10"	12	120
828262	Screw Driver Star R (6×250mm) 10"	12	120
828263	Screw Driver Flat R (6×300mm) 12"	12	120
828264	Screw Driver Star R (6×300mm) 12"	12	120



SCREW DRIVER T

CODE	MODEL	DO UNIT	MASTER BOX
828265	Screw Driver Flat T (5×100mm) 4"	12	240
828266	Screw Driver Star T (5×100mm) 4"	12	240
828267	Screw Driver Flat T (5×150mm) 6"	12	120
828268	Screw Driver Star T (5×150mm) 6"	12	120
828269	Screw Driver Flat T (5×200mm) 8"	12	120
828270	Screw Driver Star T (5×200mm) 8"	12	120
828271	Screw Driver Flat T (5×250mm) 10"	12	120
828272	Screw Driver Star T (5×250mm) 10"	12	120



SCREW DRIVER HAMMER

CODE	MODEL	DO UNIT	MASTER BOX
828273	Hammer Screw Driver Flat (6.5×100mm) 4"	12	240
828274	Hammer Screw Driver Star (6.5×100mm) 4"	12	240
828275	Hammer Screw Driver Flat (6.5×150mm) 6"	12	120
828276	Hammer Screw Driver Star (6.5×150mm) 6"	12	120
828277	Hammer Screw Driver Flat (6.5×200mm) 8"	12	120
828278	Hammer Screw Driver Star (6.5×200mm) 8"	12	120
828279	Hammer Screw Driver Flat (6.5×250mm) 10"	12	120
828280	Hammer Screw Driver Star (6.5×250mm) 10"	12	120
828281	Hammer Screw Driver Flat (6.5×300mm) 12"	12	120
828282	Hammer Screw Driver Star (6.5×300mm) 12"	12	120

XPART HARDWARE TOOLS



NEON TESTER

CODE	MODEL	DO UNIT	MASTER BOX
828360	Neon Tester 3.5×140mm-red	20	500
828361	Neon Tester 4.5×160mm-white	20	400
828362	Neon Tester 6.3×200mm-orange	12	192



DOUBLE HEAD SCREW BIT

CODE	MODEL	DO UNIT	MASTER BOX
868594	Double Head Screw Bit	200	800

STEEL MEASURING TAPE

- Blade Materials: Carbon Steel • Body Materials: PVC & TPR
- Blade Size: 0.8mm and 16mm, 19mm • Size: 3m, 5m, 15m & 30m



MEASURING TAPE-TRANSPARENT

CODE	MODEL	DO UNIT	MASTER BOX
828766	Steel Measuring Tape Transparent 3m/16mm	1	60



MEASURING TAPE-PRO

CODE	MODEL	DO UNIT	MASTER BOX
801005	Steel Measuring Tape Pro 5m/19mm	12	120
801006	Steel Measuring Tape Pro 3m/16mm	12	120



MEASURING TAPE-METALO

CODE	MODEL	DO UNIT	MASTER BOX
801004	Steel Measuring Tape Metalo-3m/16mm	12	120
801002	Steel Measuring Tape Metalo-5m/19mm	12	120

XPART HARDWARE TOOLS



MEASURING TAPE-ELITE

CODE	MODEL	DO UNIT	MASTER BOX
801007	Steel Measuring Tape Elite 5m/19mm	12	120
801008	Steel Measuring Tape Elite 3m/16mm	12	240



MEASURING TAPE-FIBERGLASS

CODE	MODEL	DO UNIT	MASTER BOX
801003	Fiberglass Measuring Tape 15m	1	120
828767	Fiberglass Measuring Tape 30m	1	60



WRENCH

• Blade Materials: Carbon Steel Forged, CR-V • Size: 8", 10", 12" & 18"

ADJUSTABLE WRENCH

CODE	MODEL	DO UNIT	MASTER BOX
80322	Adjustable Wrench 6"	5	70
80323	Adjustable Wrench 8"	5	60
80324	Adjustable Wrench 10"	5	50
80325	Adjustable Wrench 12"	5	40
868446	Adjustable Wrench 18"	2	12



ADJUSTABLE WRENCH-RG

CODE	MODEL	DO UNIT	MASTER BOX
80326	Adjustable Wrench RG 6"	5	70
80327	Adjustable Wrench RG 8"	5	60
80328	Adjustable Wrench RG 10"	5	50
80329	Adjustable Wrench RG 12"	5	40



PIPE WRENCH

CODE	MODEL	DO UNIT	MASTER BOX
808521	Pipe Wrench S-10"	6	36
808522	Pipe Wrench S-12"	4	24
808523	Pipe Wrench S-14"	2	24
808524	Pipe Wrench S-18"	2	16
808525	Pipe Wrench S-24"	2	14

XPART HARDWARE TOOLS



UNIVERSAL WRENCH

CODE	MODEL	DO UNIT	MASTER BOX
808717	Universal Wrench 9/32mm	1	36



ALLEN KEY SET

CODE	MODEL	DO UNIT	MASTER BOX
868591	Allen Key Set Small	12	60
868592	Allen Key Set Large	6	60
868593	Allen Key Set Extra Large	6	60



PLIER

• Materials: CR-V, Mirror Polish, Rubber Handle • Size: 6" & 8"

CODE	MODEL	DO UNIT	MASTER BOX
80576	Combination Plier 6"	6	60
80577	Combination Plier 8"	6	60
80578	Cutting Plier 6"	6	60
80579	Cutting Plier 8"	6	60
80574	Nose Plier 6"	6	60
80575	Nose Plier 8"	6	60



HAND RIVETER

CODE	MODEL	DO UNIT	MASTER BOX
828419	Hand Riveter - 12"	10	60



ANTI CUTTER

CODE	MODEL	DO UNIT	MASTER BOX
868987	Anti Cutter	20	100

XPART HARDWARE TOOLS

HAMMER

- Materials: 45# Carbon Steel Rubber Hand, Oak Wood, Fiber
- Size: 0.5 LBS to 16 LBS

BALL PIN HAMMER



CODE	MODEL	DO UNIT	MASTER BOX
80565	Ball Pin Hammer 0.5 LBS	6	60
80566	Ball Pin Hammer 0.75 LBS	6	48
80567	Ball Pin Hammer 1 LBS	6	36
80568	Ball Pin Hammer 1.5 LBS	6	24
80569	Ball Pin Hammer 2 LBS	6	24



CLAW HAMMER

CODE	MODEL	DO UNIT	MASTER BOX
868986	Mini Claw Hammer 0.75 LBS	12	72
868786	Claw Hammer 1 LBS	6	36



MACHINIST HAMMER

CODE	MODEL	DO UNIT	MASTER BOX
868509	Machinist Hammer 300g	6	48
868511	Machinist Hammer 400g	6	36
868512	Machinist Hammer 500g	6	24



RUBBER HAMMER

CODE	MODEL	DO UNIT	MASTER BOX
868513	Rubber Hammer 450g	6	24
868514	Rubber Hammer 680g	6	24



MALLET HAMMER

CODE	MODEL	DO UNIT	MASTER BOX
868502	Mallet Hammer 25mm	6	48
868503	Mallet Hammer 30mm	6	48
868504	Mallet Hammer 40mm	6	24

XPART HARDWARE TOOLS



SLEDGE HAMMER HEAD

CODE	MODEL	DO UNIT	MASTER BOX
868715	Sledge Hammer Head 4 Lbs	4	4
868505	Sledge Hammer Head 6 Lbs	4	4
868506	Sledge Hammer Head 8 Lbs	4	4
868507	Sledge Hammer Head 10 Lbs	4	4
868508	Sledge Hammer Head 12 Lbs	4	4
868812	Sledge Hammer Head 14 Lbs	2	2
868813	Sledge Hammer Head 16 Lbs	2	2



HAND SAW

• Materials: 55# Carbon Steel, Wooden Handle, Rubber Grip

HAND SAW RIP CUT

CODE	MODEL	DO UNIT	MASTER BOX
868606	Hand Saw 18" Rip Cut	12	72



HAND SAW RG

CODE	MODEL	DO UNIT	MASTER BOX
808999	Hand Saw RG 16"	6	48
80572	Hand Saw RG 18"	6	48



HAND SAW

CODE	MODEL	DO UNIT	MASTER BOX
807001	Hand Saw 16"	6	48
80570	Hand Saw 18"	6	48



MALLET HAMMER

CODE	MODEL	DO UNIT	MASTER BOX
868522	Hack Saw Frame 12"	6	36
868523	Hack Saw Blade 12"	144	864
868973	Hack Saw Blade 12"X1"	72	

XPART HARDWARE TOOLS

XPART TOOLS BAG

• Materials: Artificial Leather



XPART TOOLS BAG

CODE	MODEL	DO UNIT	MASTER BOX
868985	XPART TOOLS BAG	1	10



TOOLS SET WITH BAG

CODE	MODEL	DO UNIT	MASTER BOX
960097	TOOLS SET WITH BAG	1	10

SAFETY HELMET

• Materials: ABS & PP



CODE	MODEL	DO UNIT	MASTER BOX
828816	Rmil-safety Helmet White	10	10
828817	Rmil-safety Helmet Yellow	10	10
828226	Rmil-safety Helmet-red	10	10
828227	Rmil-safety Helmet-blue	10	10
960143	RMIL-Safety Helmet (PP) White	10	10
960144	RMIL-Safety Helmet (PP) Yellow	10	10
960145	RMIL-Safety Helmet(PP) Red	10	10
960146	RMIL-Safety Helmet (PP)Blue	10	10

PAINTING BRUSH

• Materials: Wooden Handle, Hair PET & PTT (PTT) Polyethylene Terephthalate (PET), And Polypropylene (PP)



CODE	MODEL	DO UNIT	MASTER BOX
868803	Painting Brush 1 inch	12	240
868804	Painting Brush 1.5 inch	12	240
868805	Painting Brush 2 inch	12	300
868806	Painting Brush 3 inch	12	240
868807	Painting Brush 4 inch	12	120
868808	Painting Brush 5 inch	6	96
868809	Painting Roller & Handle Cotton 9 inch	12	50
868810	Painting Roller Cotton 9 inch	12	50

XPART HARDWARE TOOLS

DRILL BITS

• HSS Materials • Wooden, Metal & Concrete use



DRILL BITS SET

CODE	MODEL	DO	UNIT	MASTER BOX
868871	Drill Bits Set (Metal & Wood) (1.5-6.5mm)-13pcs	1		10



DRILL BITS (METAL & WOOD)

CODE	MODEL	DO	UNIT	MASTER BOX
868861	Drill Bits (Metal & Wood) 3x65mm 1/8"	50		1000
868862	Drill Bits (Metal & Wood) 3.9x75mm 5/32"	50		1000
868863	Drill Bits (Metal & Wood) 4.7x90mm 3/16"	50		200
868864	Drill Bits (Metal & Wood) 5.5x95mm 7/32"	50		1500
868865	Drill Bits (Metal & Wood) 6.3x100mm 1/4"	50		600
868866	Drill Bits (Metal & Wood) 7.8x115mm 5/16"	10		300
868867	Drill Bits (Metal & Wood) 9.4x120mm 3/8"	10		250
868868	Drill Bits (Metal & Wood) 10.9x140mm 7/16"	5		200
868869	Drill Bits (Metal & Wood) 12.5x150mm 1/2"	5		200
868870	Drill Bits (Metal & Wood) 20.3x240mm 13/16"	5		80
868871	Drill Bits Set (Metal & Wood) (1.5-6.5mm)-13pcs	10		20



HAMMER DRILL BITS

CODE	MODEL	DO	UNIT	MASTER BOX
868853	Hammer Drill Bits 6.5x110mm	10		500
868854	Hammer Drill Bits 8x160mm	10		200
868855	Hammer Drill Bits 10x210mm	10		300
868856	Hammer Drill Bits 12x300mm	10		100
868857	Hammer Drill Bits 14x260mm	10		120
868858	Hammer Drill Bits 16x260mm	10		100
868859	Hammer Drill Bits 18x300mm	5		40
868860	Hammer Drill Bits 20x300mm	5		50



MASONRY DRILL BITS

CODE	MODEL	DO	UNIT	MASTER BOX
868852	Masonry Drill Bits 6.5x100mm	50		400



যন্ত্র অনেক মন্ত্র একটাই

XPART power tool is a tool that is actuated by an additional power source and mechanism other than the manual labor used with hand tools. XPART Power Tool makes your work easier and hassle-free.

XPART HARDWARE TOOLS

ANGLE GRINDING MACHINE HEAVY DUTY-AG800W

CODE: 868718



- Input Power: 800 Watt
- No-load Speed: 11000/min
- Max Disk Diameter: 100mm
- Usage: Grinding & Cutting
- Switch Type : Back Switch
- Rated Voltage: 180-220V

ANGLE GRINDING MACHINE HEAVY DUTY-AG1000W

CODE: 868720



- Input Power: 1000 Watt
- No-load Speed: 11000/min
- Max Disk Diameter: 100mm
- Usage: Grinding & Cutting
- Switch Type : Back Switch
- Rated Voltage: 180-220V

ANGLE GRINDING MACHINE HEAVY DUTY-AG1000W

CODE: 868721



- Input Power: 1000 Watt
- No-load Speed: 11000/min
- Max Disk Diameter: 100mm
- Usage: Grinding & Cutting
- Switch Type : Trigger Switch
- Rated Voltage: 180-220V

ANGLE GRINDING MACHINE AG800W-POPULAR

CODE: 868516



- Input Power : 800 Watt
- No-load Speed : 11000/Min
- Max Disk Diameter : 100mm
- Usage : Grinding and Cutting
- Switch Type : Back Switch
- Rated Voltage : 180-220 Volt

ANGLE GRINDING MACHINE AG1000W

CODE: 808199



- Input Power : 1000 Watt
- No-load Speed : 11000/Min
- Max Disk Diameter : 100mm
- Usage : Grinding and Cutting
- Switch Type : Back Switch
- Rated Voltage : 180-220 Volt

ANGLE GRINDING MACHINE AG2400W

CODE: 808278



- Input Power : 2400 Watt
- No-load Speed : 11000/Min
- Max Disk Diameter : 180mm
- Usage : Grinding and Cutting
- Switch Type : Trigger Switch
- Rated Voltage : 180-220 Volt

XPART POWER TOOLS

IMPACT DRILL MACHINE ID550W

CODE: 828475



- Input Power : 550 Watt
- No-load Speed : 2700/Min
- Max Drilling Capacity : 10mm
- Switch Type : Trigger
- Rated Voltage : 180-220 Volt

IMPACT DRILL MACHINE ID850W

CODE: 808280



- Input Power : 850 Watt
- Speed : Variable
- Max Drilling Capacity : 13mm
- Switch Type : Trigger
- Rated Voltage : 180-220 Volt

IMPACT DRILL MACHINE ID 800W

CODE: 960013



- Input Power : 800 Watt
- Speed : Variable
- Max Drilling Capacity : 13mm
- Switch Type : Trigger
- Rated Voltage : 180-220 Volt

ELECTRIC DRILL ED 300W

CODE: 960012



- Input Power : 300 Watt
- No-load Speed : 2700/Min
- Max Drilling Capacity : 10mm
- Switch Type : Trigger
- Rated Voltage : 180-220 Volt

HAMMER DRILL HD 800W POPULAR

CODE: 960014



- Input Power : 800 Watt
- No-load Speed : 900/Min
- Max Drilling Capacity : 26mm
- Switch Type : Trigger
- Rated Voltage : 180-220 Volt

HAMMER DRILL MACHINE HD800W

CODE: 808281



- Input Power : 800 Watt
- No-load Speed : 900/Min
- Max Drilling Capacity : 26mm
- Switch Type : Trigger
- Rated Voltage : 180-220 Volt

XPART POWER TOOLS

DEMOLITION HAMMER DH-1750W

CODE: 828474

- Input Power : 1750 watt
- Nagative Beat times : 1400/min
- Impact Force : 48 Joule
- Bit dia: 75mm
- Switch Type : Trigger Switch
- Rated Voltage : 180-220 Volt
- Net Weight: 16.00 kg $\pm$ 5%
- Gross Weight: 22.800kg $\pm$ 5%



CORDLESS DRILL MACHINE CD14.4V

CODE: 868517

- One Hour Quick Charger
- Two Li-ion Battery
- 3/8inch, 10mm Chuck
- Voltage: 180-220v/50-60hz



HEAT GUN MACHINE HG2000W

CODE: 828471

- Input Power : 2000 Watt
- Speed : Variable
- Temperatur : 60°-600°C
- Air flow : 0 to 500L/Min
- Rated Voltage : 180-220 Volt



HAND BLOWER MACHINE HB600W

CODE: 868445

- Input Power : 600 Watt
- Speed : Variable Speed
- Body Material : ABS
- Rated Voltage : 180-220 Volt



HAND BLOWER MACHINE HB650W

CODE: 808137

- Input Power : 650 Watt
- Speed : Variable Speed
- Body Material : Nylon
- Rated Voltage : 180-220 Volt



HAND BLOWER HB 650W POPULAR

CODE: 960015

- Input Power : 650 Watt
- Speed : Variable Speed
- Body Material : ABS
- Rated Voltage : 180-220 Volt



XPART POWER TOOLS

FS PLASTIC FLIM SEALER IFS200W 8"

CODE: 960017



- Power: 200W
- Sealer Capacity: 200mm
- Sealer Area: 1mm
- Rated Voltage : 180-220 Volt
- Body Material: Plastic

FS PLASTIC FLIM SEALER 8MM IFS660W 12"

CODE: 960346



- Power: 660W
- Sealer Capacity: 300mm
- Sealer Area: 3mm
- Rated Voltage : 180-220 Volt
- Body Material: Metal

CIRCULAR SAW MACHINE CS1750W

CODE: 828472



- Input Power : 1750 Watt
- No-load Speed : 4500/Min
- Max Disk Diameter : 185mm
- Cutting Depth : 0 to 63mm
- Switch Type : Trigger
- Rated Voltage : 180-220 Volt

JIG SAW MACHINE JS750W

CODE: 828476



- Input Power : 750 Watt
- Speed : 0 to 3000 RPM
- Max Cutting Depth : 63mm
- Switch Type : Trigger
- Rated Voltage : 180-220 Volt

ELECTRIC ROUTER MACHINE ER2400W

CODE: 828473



- Input Power : 2400 Watt
- No-load Speed : 23000 RPM
- Max Plunge Depth : 60mm
- Collect Diameter : 12mm
- Rated Voltage : 180-220 Volt

ELECTRIC PLANNER MACHINE EP600W

CODE: 828928



- Input Power : 600 Watt
- No-load Speed : 16000/Min
- Planing Width : 82mm
- Planing Depth : 2mm
- Rated Voltage : 180-220 Volt

XPART POWER TOOLS

ELECTRIC PLANNER MACHINE EP1100W

CODE: 960066



- Input Power : 1100 Watt
- No-load Speed : 16000/Min
- Planing Width : 90mm
- Planing Depth : 3mm
- Rated Voltage : 180-220 Volt

PNEUMATIC AIR SCREW GUN 1000W

CODE: 960016



- Drive: 4-5mm
- Free Speed : 10000 RPM/min
- Air Pressure: 4-7Kg.f.cm2
- Air Inlet: 3/4"
- Max Torque: 50N.m
- Application: Industrial

SPRING BALANCER FOR SCREW GUN

CODE: 868974



- Min. Capacity: 1.5Kg
- Max Capacity: 3Kg

CUTTING MACHINE CM2400W (14")

CODE: 801230



- Input Power : 2400 Watt
- No-load Speed : 3800/Min
- Max Disk Diameter : 355mm, 14"
- Guard : Spark diversion guard
- Rated Voltage : 180-220 Volt

CUTTING MACHINE CM3000W-4HP

CODE: 801229



- Input Power : 3000 Watt
- No-load Speed : 1450/Min
- Max Disk Diameter : 400mm, 16"
- Guard : Spark diversion guard
- Rated Voltage : 180-220 Volt

WELDING MACHINE ARC 160A

CODE: 960067



- Voltage : 220v±15%
- Frequency : 50Hz/60Hz
- Rated Input Capacity: 4.2KVA
- No-load Voltage : 62V
- Output Current : 20-160A
- Output Voltage : 26.4V
- Electrode Size : 1.6-3.2mm
- Power Factor : 0.93
- Duty Cycle : 60%
- Efficiency : 85%
- Insulation Class : F
- Protection Class : IP21S

XPART POWER TOOLS

WELDING MACHINE STICK 200A POPULAR

CODE: 960103

- Voltage : 220v±15%
- Frequency : 50Hz/60Hz
- Rated Input Capacity: 5.6KVA
- No-load Voltage : 68V
- Output Current : 20-200A
- Output Voltage : 28V
- Electrode Size : 1.6-4.0mm
- Power Factor : 0.93
- Duty Cycle : 60%
- Efficiency : 85%
- Insulation Class : F
- Protection Class : IP21S



WELDING MACHINE STICK 400A

CODE: 960104

- Voltage : 1 Phase-220v±15%, 3 Phase-380v±10%
- Frequency : 50Hz/60Hz
- Rated Input Capacity : 14.5KVA
- No-load Voltage : 70V
- Output Current : 30-400A
- Output Voltage : 36V
- Electrode Size : 2.0-6.0mm
- Power Factor : 0.93
- Duty Cycle : 60%
- Efficiency : 85%
- Insulation Class : F
- Protection Class : IP21S



WELDING MACHINE RFL 200A (DIGITAL)

CODE: 828222

- Voltage : 220v±15%
- Frequency : 50Hz/60Hz
- Rated Input Capacity: 5.0KVA
- No-load Voltage : 62V
- Output Current : 20-200A
- Output Voltage : 25.6V
- Electrode Size : 1.6-3.2mm
- Power Factor : 0.93
- Duty Cycle : 60%
- Efficiency : 85%
- Insulation Class : F
- Protection Class : IP21S



WELDING MACHINE TIG & ARC 250A

CODE: 828224

- Voltage : 220V±15%
- Frequency : 50Hz/60Hz
- Rated input capacity : 6.9KVA
- No-load voltage : 63V
- Electrode Size : 1.6-5.0mm
- Duty cycle : 60%
- Efficiency : 85%
- Protection class : IP21S
- Output current : TIG: 30-250A, ARC:30-230A
- Output voltage : TIG:19.3V, ARC:29.5A



WELDING MACHINE ARC BX6 250A

CODE: 868225

- Voltage: 1 Phase-220V±15%, 3 Phase-380V±15%
- Frequency: 50Hz/60Hz
- Rated Input Capacity: 24 KVA
- No-load Voltage: 60V
- Output Current: 20-200A
- Duty Cycle: 20%
- Electrode Size: 1.6-5mm
- Protection Class: IP21S
- Insulation Class: B



WELDING MACHINE STICK 315A

CODE: 801341

- Voltage : 1 Phase-220v±15%, 3 Phase-380v±10%
- Frequency : 50Hz/60Hz
- Rated Input Capacity : 8.5KVA
- No-load Voltage : 74V
- Output Current : 20-315A
- Output Voltage : 31.2V
- Electrode Size : 2.0-6.0mm
- Power Factor : 0.93
- Duty Cycle : 60%
- Efficiency : 85%
- Insulation Class : F
- Protection Class : IP21S





CODE	MODEL	SIZE	WEIGHT PER PACK	STICK PCS/PACK 2
828705	XPART WELDING RODS - MARINE M.S-3.2mm	3.2mm X 350mm	4 KG	145
828113	XPART WELDING RODS - MARINE E 6013-4.0mm	4.0mm X 450mm	5 KG	94
828114	XPART WELDING RODS - FERRO E 6012-3.2mm	3.2mm X 450mm	5 KG	146
828115	XPART WELDING RODS - E 6013-3.2mm	3.2mm X 450mm	5 KG	125
868253	XPART WELDING RODS - XT ARC E 6013-3.2mm	3.2mm X 450mm	5.15 KG	145




**নিখুঁত কাটাকাটির
আপল সমাধান**



XPART Disk makes your cutting experience smoother and easy. XPART Disk has cutting disk, grinding disk, finishing disk.

XPART DISK


MARBLE & GRANITE CUTTING/DIAMOND DISK



- Disk Type: Segment Type
- Body Material: 65 Grade Manganise Steel
- Segment Materials: Diamond and Metal powder
- Segment Size : 10mm
- Segment Thickness : 2mm

CODE	MODEL	SIZE	DO UNIT	MASTER BOX
80375	4" Silver Diamond Disk	110x10x2x22.2mm	20	200
80377	4" Green Diamond Disk	110x10x2x22.2mm	20	200
80379	4" Gold Diamond Disk	110x10x2x22.2mm	20	200
80378	7" Gold Diamond Disk	180x10x2x22.2mm	5	50


TILES CUTTING/DIAMOND DISK



- Disk Type: RIM Type
- Body Material: 65 Grade Manganise Steel
- Segment Materials: Diamond and Metal powder
- Segment Size: 10mm
- Segment Thickness: 1.7mm

CODE	MODEL	SIZE	DO UNIT	MASTER BOX
828136	4" Tiles Cutting Disk (Yellow)	110x10x2x22.2mm	20	200
828137	4" Tiles Cutting Disk (Blue)	110x10x2x22.2mm	20	200


WALL & BRICKS CUTTING/DIAMOND DISK



- Disk Type: Segment Type
- Body Material: 65 Grade Manganise Steel
- Segment Materials: Diamond and Metal powder
- Segment Size: 10mm
- Segment Thickness: 2mm

CODE	MODEL	SIZE	DO UNIT	MASTER BOX
828138	4" Wall Cutting Disk (Brown)	110x10x2x22.2mm	20	200
828424	5" Wall Cutting Disk (Brown)	125x10x2x22.2mm	20	200

WOOD CUTTING DISK CIRCULAR SAW BLADE



- Disk Type: Circular Saw Blade
- Body Material: 65 Grade Manganise Steel
- Tips Materials: Carbide Tipped
- Teeth Type: ATB (Alternat top Bevel) Teeth

CODE	MODEL	SIZE	DO UNIT	MASTER BOX
828139	4" Wood Cutting Saw (40T)	100x40Tx16mm	20	200
828141	7" Wood Cutter Saw (60T) Premium	185x60Tx25.4/20mm	5	70

XPART DISK



ALUMINIUM CUTTING DISK CIRCULAR SAW BLADE

- Disk Type: Circular Saw Blade
- Body Material: 65 Grade Manganise Steel
- Tips Materials: Carbide Tipped
- Teeth Type: ATB (Alternat top Bevel) Teeth

CODE	MODEL	SIZE	DO UNIT	MASTER BOX
828142	12" Aluminium Cutter Saw (120T) Popular	305x120Tx30/25.4mm	1	20
828143	12" Aluminium Cutter Saw (120T) Premium	305x120Tx30/25.4mm	1	20



METAL CUTTING DISK

- Disk Type: T41
- Materials: Aluminum Oxide
- Fiber Net Qty: 2 pcs (Both Side)
- Thickness: 1.2mm to 3mm
- Black Paper Qty: 2 pcs (Both Side)

CODE	MODEL	SIZE	DO UNIT	MASTER BOX
808709	4" (1.2mm) Metal Cutting Disk(Green)	100x1.2x16mm/4"x3/64"x5/8"	50	800
808915	4" (1.2mm) Metal Cutting Disk (Red)	100x1.2x16mm/4"x3/64"x5/8"	50	800
80380	4" (1.2mm) Metal Cutting Disk (Black)	100x1.2x16mm/4"x3/64"x5/8"	50	800
960068	4" (1.2mm) Metal Cutting Disk (Golden)	100x1.2x16mm/4"x3/64"x5/8"	50	800
828355	7" (1.6mm) Metal Cutting Disk (Green)	180x1.6x22.2mm/7"x1/16"x7/8"	50	200
808710	14" (3mm) Professional Metal Cutting Disk (Green)	355x3x25.4mm/14"x1/8"x1"	15	15
808201	16" (3mm) Professional Metal Cutting Disk (Green)	405x3x25.4mm/16"x1/8"x1"	15	15
828365	14" (3mm) Metal Cutting Disk Premium (Black)	350x3x25.4mm/14"x1/8"x1"	15	15
828366	16" (3mm) Metal Cutting Disk Premium (Black)	400x3x25.4mm/16"x1/8"x1"	15	1570



METAL GRINDING DISK

- Disk Type: T24/27
- Materials: Aluminum Oxide
- Fiber Net Qty: 2.5 pcs (Both Side)
- Thickness: 6mm

CODE	MODEL	SIZE	DO UNIT	MASTER BOX
80381	4" (6mm) Metal Grinding Disk	100x6x16mm/4"x1/4"x5/8"	25	200
828154	4" (6mm) Metal Grinding Disk (Premium)	100x6x16mm/4"x1/4"x5/8"	25	200
960070	4" (6mm) Metal Grinding Disk (Red)	100x6x16mm/4"x1/4"x5/8"	25	200
960069	4" (3mm) Metal Grinding Disk (Green)	100x6x16mm/4"x1/4"x5/8"	25	200
80384	7" (6mm) Metal Grinding Disk	180x6x22.2mm/7"x1/4"x7/8"	25	100

XPART DISK



FLAP DISK FINISHING DISK

- Disk Type: Flap Disk
- Body Materials: Fiber & Fiber Glass
- Grain Materials: Aluminum Oxide

CODE	MODEL	SIZE	DO UNIT	MASTER BOX
828373	4" Flap Disk (A60)FGC	100x16mm (Cloth size: 72x16x24)	20	200
828374	4" Flap Disk (A80)FGC	100x16mm (Cloth size: 72x16x24)	20	200
828375	4" Flap Disk (A120)FGC	100x16mm (Cloth size: 72x16x24)	20	200



FIBER DISK FINISHING DISK

- Disk Type: Fiber Disk
- Body Materials: Fiber & Fiber Glass
- Grain Materials: Aluminum Oxide

CODE	MODEL	SIZE	DO UNIT	MASTER BOX
828376	4" Fiber Disk (A60)	100x16mm	200	1000
828377	4" Fiber Disk (A80)	100x16mm	200	1000



POLISHING DISK FINISHING DISK

- Disk Type: Non Oven Polishing Wheel
- Size: 4"
- Body Materials: Plastic
- Grain Materials: White Aluminium

CODE	MODEL	SIZE	DO UNIT	MASTER BOX
828378	4" Foam Disk (Red)	100x12x16mm	200	200
828379	4" Foam Disk (Grey)	100x12x16mm	200	200

XPART DISK



POLISHING PAD FINISHING DISK

- Disk Type: Polished Pad
- Body Materials: Fiber & Fiber Glass

CODE	MODEL	SIZE	DO UNIT	MASTER BOX
960071	Polishing Pad	100x16mm (Cloth size: 72x16x24)	10	100



VELCRO PAPER FINISHING DISK

- Disk Type: Flap Disk
- Body Materials: Fiber Glass
- Grain Materials: Aluminum Oxide

CODE	MODEL	SIZE	DO UNIT	MASTER BOX
960072	Velcro Paper 60	100x16mm	100	4000
960073	Velcro Paper 80	100x16mm	100	4000
960074	Velcro Paper 120	100x16mm	100	4000




TWISTED WIRE CUP BRUSH FINISHING DISK

- Disk Type: Cup Brush
- Body Materials: Metal
- Grain Materials: Brush wire

CODE	MODEL	SIZE	DO UNIT	MASTER BOX
960464	3" Twisted Wire Cup Brush	100x16mm	10	100

সফলতা ও বিব্রা পদ




RFL Ladder is a tool which is made for people to climb up or down. There are two types of RFL Ladder (wide and narrow). Its strong body & non slip rubber pad ensure your safety to climb up or down.

RFL LADDER



HOUSEHOLD LADDER NARROW




Max Load: 150kg
Step Distance for 5 Step: 20cm
Step Distance for 6 & 7 Step: 24cm

CODE	NO. OF STEP	SIZE
801348	5 STEP	A-150 X B-99 X C-85 X D-45 CM
801349	6 STEP	A-170 X B-119 X C-97 X D-48 CM
868885	6 STEP-SKYLINE	A-170 X B-119 X C-97 X D-48 CM
801350	7 STEP	A-188 X B-139 X C-113 X D-50 CM
868956	8 STEP	A-206 X B-175 X C-146 X D-53 CM



HOUSEHOLD LADDER WIDE



Max Load: 150kg
Step Distance: 24cm

CODE	NO. OF STEP	SIZE
801351	5 STEP	A-163 X B-127 X C-76 X D-41 CM
801352	6 STEP	A-202 X B-157 X C-105 X D-46 CM
828106	7 STEP	A-239 X B-188 X C-132 X D-50 CM



Accessories make doors stand out and give your guests a warm welcome while providing you with ample security. That is why RFL has come up with multiple door accessories named XPART to not only make the doors to your house look elegant but also provide your house with the security it needs. With RFL's plethora of door accessories that include tower bolts, have bolts, right handed bolts, spring bolts, you can accessorize your doors any way you want to. Each of these bolts comes in multiple colors to give your door the unique look that you prefer.

XPART DOOR ACCESSORIES



CYLINDRICAL DOOR LOCK ROYAL

CODE: 828754

- Solid Zinc Latch
- Attractive Rosette Design
- Full Brass Lock Cylinder & Computer Key
- Big Knob, Convenient Size
- Cylindrical Body Diameter: 53mm
- Rosette Plate Diameter: 75mm
- Backset: 60mm
- Door Thickness: 25-50mm
- Color: Antique Copper
- Applicable for Metal & Wooden Door



CYLINDRICAL DOOR LOCK KING

CODE: 828755

- Solid Zinc Latch
- Attractive Rosette Design
- Full Brass Lock Cylinder & Computer Key
- Big Knob, Convenient Size
- Cylindrical Body Diameter: 53mm
- Rosette Plate Diameter: 75mm
- Backset: 60mm
- Door Thickness: 25-50mm
- Color: SS
- Applicable for Metal & Wooden Door



CYLINDRICAL DOOR LOCK CROWN

CODE: 828756

- Solid Zinc Latch
- Attractive Rosette Design
- Full Brass Lock Cylinder & Computer Key
- Big Knob, Convenient Size
- Cylindrical Body Diameter: 53mm
- Rosette Plate Diameter: 75mm
- Rosette Plate Diameter: 80mm (Flower)
- Backset: 60mm
- Door Thickness: 25-50mm
- Color: Antique Copper
- Applicable for Metal & Wooden Door



MORTISE LOCK-ROYAL

200mm-CODE: 828369

260mm-CODE: 828370

- Material: Zinc Alloy
- Latch type: Duel Latch
- Finishing: Satin Nickel
- Solid Zinc Latch
- 70mm Double Open Brass Cylinder
- Full Brass Lock Cylinder & Computer Key
- SS Striker, SS Faceplate
- Applicable for Metal & Wooden Door

XPART DOOR ACCESSORIES

DEADBOLT LOCK DOUBLE-AC

CODE: 828329



- Material: Stainless Steel
- Door Thickness: 25-45mm
- Solid Zinc Latch
- Full Brass Lock Cylinder & Computer Key
- Heavy duty door lock
- Color: Antique Copper
- Accessories Set Included
- Applicable for Metal and Wooden Door

DEADBOLT LOCK SINGLE-AC

CODE: 828331



- Material: Zinc Alloy
- Door Thickness: 25-45mm
- Latch type: Duel Latch
- Finishing: Satin Nickel
- Solid Zinc Latch
- 70mm Double Open Brass Cylinder
- Full Brass Lock Cylinder & Computer Key
- SS Striker, SS Faceplate
- Applicable for Metal & Wooden Door

DEADBOLT LOCK DOUBLE-SS

CODE: 828332



- Material: Stainless Steel
- Door Thickness: 25-45mm
- Solid Zinc Latch
- Full Brass Lock Cylinder & Computer Key
- Heavy duty door lock
- Color: Stainless Steel
- Accessories Set Included
- Applicable for Metal and Wooden Door

DEADBOLT LOCK SINGLE-SS

CODE: 828330



- Material: Stainless Steel
- Door Thickness: 25-45mm
- Solid Zinc Latch
- Full Brass Lock Cylinder & Computer Key
- Heavy duty door lock
- Color: Stainless Steel
- Accessories Set Included
- Applicable for Metal and Wooden Door

DOOR HINGE 4x3x3

CODE: 828757



- Material: Stainless Steel
- 100% Stainless Steel
- Advanced Technology Welded Finish
- High Quality Satin Finishing
- Free Accessories
- Applicable for Indoor & Outdoor use

DOOR HINGE 5x3x3

CODE: 828372



- Material: Stainless Steel
- 100% Stainless Steel
- Advanced Technology Welded Finish
- High Quality Satin Finishing
- Free Accessories
- Applicable for Indoor & Outdoor use

XPART DOOR ACCESSORIES

DOOR VIEWER
15.5mm
CODE: 828328



- Material: Zinc Alloy
- Diameter: 15.5mm
- Adjustable Door Thickness: 25-45mm
- Finishing Chrome Plating
- High Quality Optical Lens with Crystel Clear View
- 200 Degree Wide Angle View for Extra Ordinary Coverage
- Privacy Cover to Prevent Visibility from Outside to Inside
- Applicable for Metal Door Wooden Door

DOOR MAGNET
3 inch
CODE: 828371



- Material: Stainless Steel
- Size: 3inch
- Polished Finish
- Big Spring
- Strong Magnet
- Accessories Set Included

TOWER BOLT
6 inch ROUND
CODE: 828758



- Body Size: 144x45mm
- Head Size: 25x45mm
- Thickness: 1mm
- Bolt Dia: 11.5mm
- Material: SS 201
- 100% Stainless Steel
- Well Polished Bolt
- SS Screw Free

TOWER BOLT
6 inch
CODE: 828829



- Body Size: 142x36.5mm
- Head Size: 25x36.5mm
- Thickness: 1mm
- Bolt Dia: 8mm
- Material: SS 201
- 100% Stainless Steel
- Well Polished Bolt
- SS Screw Free

TOWER BOLT
6 inch SQUARE
CODE: 828759



- Body Size: 150x36.5mm
- Head Size: 24x36.5mm
- Thickness: 0.6 mm
- Bolt Dia: 11.5mm
- Material: SS 201
- Square Bending
- Double Metal Plated
- 100% Stainless Steel
- Well Polished Bolt
- SS Screw Free

TOWER BOLT
8 inch SQUARE
CODE: 828760



- Body Size: 200x36.5mm
- Head Size: 24x36.5mm
- Thickness: 0.6 mm
- Bolt Dia: 11.5mm
- Material: SS 201
- Square Bending
- Double Metal Plated
- 100% Stainless Steel
- Well Polished Bolt
- SS Screw Free

চ.এইসি
গভীর

বাংলাদেশে তৈরি
গভীরতম কিচেন সিংক



আর এফ এল

KITCHEN SINK

Made out of 100% stainless steel, RFL brings you Kitchen Sink that comes with deep and spacious bowl and sloped drain board. Kitchen sinks from RFL also come in various designs and double bowls to hold more for the bigger family. These kitchen sinks are easily to clean and durable.

RFL KITCHEN SINK



ELITE 40"x20"

Code: 868285

- Bowl Depth: 8 inch
- Bowl Size: 17.5 x 17.5 inch
- Hole Size: 3 inch
- Sheet Thickness: 0.6 mm
- Advance Electro-polished
- 100% Scratch & Rust Proof
- Durable & Noiseless
- High Quality Rubberpad & Accessories



ELITE 36"x18"

Code: 75383

- Bowl Depth: 8 inch
- Bowl Size: 17.5 x 14.5 inch
- Hole Size: 3 inch
- Sheet Thickness: 0.6 mm
- Advance Electro-polished
- 100% Scratch & Rust Proof
- Durable & Noiseless
- High Quality Rubberpad & Accessories



ELITE 30"x18"

Code: 75384

- Bowl Depth: 8 inch
- Bowl Size: 16.5x14.5 inch
- Hole Size: 3 inch
- Sheet Thickness: 0.6 mm
- Advance Electro-polished
- 100% Scratch & Rust Proof
- Durable & Noiseless
- High Quality Rubberpad & Accessories



TULIP 36"x18"

Code: 808748

- Bowl Depth: 5.5 inch
- Bowl Size: 17.5x14.5 inch
- Hole Size: 2 inch
- Sheet Thickness: 0.5 mm
- Mirror Finished
- 100% Scratch & Rust Proof
- Durable & Noiseless
- High Quality Damper Foam & Accessories

RFL KITCHEN SINK



TULIP 30"x18"

Code: 85807

- Bowl Depth: 5.5 inch
- Bowl Size: 16.5x14.5 inch
- Hole Size: 2 inch
- Sheet Thickness: 0.5 mm
- Mirror Finished
- 100% Scratch & Rust Proof
- Durable & Noiseless
- High Quality Damper Foam & Accessories



TULIP 20"x17"

Code: 85809

- Bowl Depth: 5.5 inch
- Bowl Size: 16.5x14.5 inch
- Hole Size: 2 inch
- Sheet Thickness: 0.5 mm
- Mirror Finished
- 100% Scratch & Rust Proof
- Durable & Noiseless
- High Quality Damper Foam & Accessories



LILY 40"x20"

Code: 85803

- Bowl Depth: 7 inch
- Bowl Size: 16.5x16.5 inch
- Hole Size: 2 inch
- Sheet Thickness: 0.6 mm
- Advance Electro-polished
- 100% Scratch & Rust Proof
- Durable & Noiseless
- High Quality Damper Foam & Accessories



LILY 36"x18"

Code: 828478

- Bowl Depth: 7 inch
- Bowl Size: 17.5x14.5 inch
- Hole Size: 2 inch
- Sheet Thickness: 0.6 mm
- Advance Electro-polished
- 100% Scratch & Rust Proof
- Durable & Noiseless
- High Quality Damper Foam & Accessories

RFL KITCHEN SINK



LILY 30"x18"

Code: 828479

- Bowl Depth: 7 inch
- Bowl Size: 16.5x14.5 inch
- Hole Size: 2 inch
- Sheet Thickness: 0.6 mm
- Advance Electro-polished
- 100% Scratch & Rust Proof
- Durable & Noiseless
- High Quality Damper Foam & Accessories



LILY 20"x17"

Code: 85802

- Bowl Depth: 7 inch
- Bowl Size: 16.5x14.5 inch
- Hole Size: 2 inch
- Sheet Thickness: 0.6 mm
- Advance Electro-polished
- 100% Scratch & Rust Proof
- Durable & Noiseless
- High Quality Damper Foam & Accessories



JASMINE 36"x18"

Code: 808587

- Bowl Size: 16.5 x 14.5 inch
- Bowl Depth: 8 inch
- Drain Hole: 3 inch
- Sheet Thickness: 0.6 mm
- Advance Electro-polished
- 100% Scratch & Rust Proof
- Durable & Noiseless
- High Quality Rubberpad & Accessories



JASMINE SMART 30"x18"

Code: 828953

- Bowl Depth: 8 inch
- Bowl Size: 16.5x14.5 inch
- Hole Size: 3 inch
- Sheet Thickness: 0.6 mm
- Advance Electro-polished
- 100% Scratch & Rust Proof
- Durable & Noiseless
- High Quality Rubberpad & Accessories

RFL KITCHEN SINK



DAISY 45"x20"

Code: 801038

- Bowl Depth: 8 inch
- Bowl Size: 16x14 & 14x12 inch
- Hole Size: 3 inch
- Sheet Thickness: 0.6 mm
- Advance Electro-polished
- 100% Scratch & Rust Proof
- Durable & Noiseless
- High Quality Rubberpad & Accessories



DAISY 36"x18"

Code: 868579

- Bowl Size: 17.5 x 14.5 inch
- Bowl Depth: 8.7 inch
- Drain Hole: 3 inch
- Sheet Thickness: 0.6 mm
- Advance Electro-polished
- 100% Scratch & Rust Proof
- Durable & Noiseless
- High Quality Rubberpad & Accessories



DAISY 30"x18"

Code: 868580

- Bowl Size: 16.5 x 14.5 inch
- Bowl Depth: 8.7 inch
- Drain Hole: 3 inch
- Sheet Thickness: 0.6 mm
- Advance Electro-polished
- 100% Scratch & Rust Proof
- Durable & Noiseless
- High Quality Rubberpad & Accessories

DAISY 20"x18"

Code: 808586



- Bowl Depth: 8 inch
- Bowl Size: 17x15 inch
- Hole Size: 3 inch
- Sheet Thickness: 0.6 mm
- Advance Electro-polished
- 100% Scratch & Rust Proof
- Durable & Noiseless
- High Quality Rubberpad & Accessories

DAISY 12"x14"

Code: 868269



- Bowl Depth: 8 inch
- Bowl Size: 9.5x11.25 inch
- Hole Size: 3 inch
- Sheet Thickness: 0.6 mm
- Advance Electro-polished
- 100% Scratch & Rust Proof
- Durable & Noiseless
- High Quality Rubberpad & Accessories

পানির সাজ্জশী সমাধান...



Water pump is a machine that used to increase the pressure of water in order to move it from one point to another. XPART water pumps are used to supply water for domestic, commercial & industrial, agricultural, drainage and other civil use.

XPART WATER PUMP

PERIPHERAL PUMP DOMESTIC WATER PUMP

TYPE OF APPLICATION:
Up to 2nd Floor-Pressure boosting for Top floor
Gardening, Vehicle washing.



PRODUCT RANGE/GENERAL

CODE	MODEL	POWER		CAPACITY		Sn. inch	Dn. inch
		HP	KW	H/m	Q-l/m		
808119	XPTm 60	0.5	0.37	3-7-15	35-20-5	1	1



JET PUMP DOMESTIC WATER PUMP

TYPE OF APPLICATION:
Self Priming Jet Pump domestic use up to 8th Floor
WASA Line and others

PRODUCT RANGE/GENERAL

CODE	MODEL	POWER		CAPACITY		Sn. inch	Dn. inch
		HP	KW	H/m	Q-l/m		
801364	XPTm 1C-E	0.5	0.37	3-10-15	50-40-10	1	1
801365	XPTm 1B-E	0.75	0.56	5-10-25	60-40-10	1	1
828219	XPTm 10M Pro	1	0.75	3-15-35	70-50-10	1	1
801214	XPTm 10M	1	0.75	3-20-40	70-50-10	1	1
801366	XPTm 15M	1.5	1.1	15-20-35	80-60-20	1	1
801367	XPTm 3BH	2	1.5	15-26-50	90-70-20	1.25	1

XPART WATER PUMP

IRRIGATION PUMP IRRIGATION PUMP

TYPE OF APPLICATION:
Irrigation, Pond, Various Farm etc.



PRODUCT RANGE/GENERAL

CODE	MODEL	POWER		CAPACITY		Sn. inch	Dn. inch
		HP	KW	H/m	Q-l/m		
868244	XAHm 1A	1	0.75	10	380	1.5	1.5
808120	XAHm 5B	1	0.75	10	400	2	2
808121	XAHm 5A	1.5	1.1	10	450	2	2
801226	XAHm 6C	1.5	1.1	10	1000	3	3
801227	XAHm 6B	2	1.5	13	1100	3	3
801228	XAHm 6AR	3	2.2	16	1500	4	4



CENTRIFUGAL PUMP DOMESTIC WATER PUMP

TYPE OF APPLICATION:
Industry & High Rise Building etc.

PRODUCT RANGE/GENERAL

CODE	MODEL	POWER		CAPACITY		Sn. inch	Dn. inch
		HP	KW	H/m	Q-l/m		
801345	XPTm170	1.5	1.1	10-20-28	150-110-45	1.25	1
801346	XPTm25/160A	2	1.5	15-26-35	150-120-30	1.5	1
801347	2XPTm25/160A	3	2.2	15-35-55	160-110-35	1.5	1

XPART WATER PUMP

3" BORE WELL TYPE SUBMERSIBLE PUMP

TYPE OF APPLICATION:

Domestic, Garden, Lake & Farm application

PRODUCT RANGE/GENERAL

CODE	MODEL	POWER		CAPACITY		Sn. inch	Dn. inch
		HP	KW	H/m	Q-l/m		
868276	Typhoon-75XPTm3/06	0.33	0.25	10~23	80~20	3"	1"
801239	75XPTm2/08	0.33	0.2	10~30	55-15	3"	1"
868277	Typhoon-75XPTm3/9A	0.5	0.37	15~35	80~20	3"	1¼"
801240	75XPTm2/11A	0.5	0.4	11~40	60~24	3"	1¼"
801241	75XPTm2/17A	0.75	0.6	15~60	62~20	3"	1¼"
868278	Typhoon-75XPTm3/12A	0.75	0.56	20~45	80~20	3"	1¼"
801242	75XPTm2/24A	1	0.7	20-80	65~20	3"	1¼"
801243	75XPTm2/33A	1.5	1.1	40~107	66~20	3"	1¼"
868733	Typhoon-75XPTm	1	0.75	60~45~20	43~71~96	3"	1¼"
	Typhoon-75XPTm3/24A	1.5	1.1	80~60~25	20~60~100	3"	1¼"



4" BORE WELL TYPE SUBMERSIBLE PUMP

TYPE OF APPLICATION:

Domestic, Garden, Pond also Industries use and Light Irrigation

PRODUCT RANGE/GENERAL

CODE	MODEL	POWER		CAPACITY		Sn. inch	Dn. inch
		HP	KW	H/m	Q-l/m		
801233	Force-100XPTm6/08A	1	0.7	20~54	140~20	4"	1¼"
801234	100XPTm6/10A	1.5	1.1	25~67	148-20	4"	1¼"
801235	Force-100XPTm6/15AA	2	1.5	29~103	120~20	4"	1½"
	Force-100XPTm7/09A	1.5	1.1	17~60	140~20	4"	1½"
801232	Tornado-100XPTm12/6-XL	1.5	1.1	9~25	270~90	4"	2"
801236	Tornado-100XPTm12/8-XL	2	1.5	9~35	272~110	4"	2"
801237	Tornado-100XPTm12/11-XL	3	2.2	13~40	275~150	4"	2"
801238	100XPT12/17-XL(3~)	5.5	4.1	25~76	280~150	4"	2"
828938	100XPTm4/06A	0.5	0.37	14~42	100~10	4"	1¼"
828939	Force-100XPTm4/08A	0.75	0.55	18~56	100~20	4"	1¼"
828940	100XPTm4/10A	1	0.75	23~70	100~10	4"	1¼"
828941	100XPTm6/14AA	1.5	1.1	34~95	140~20	4"	1.5"
828942	100XPTm10/10-XL	2	1.5	14~59	240~30	4"	2"
828943	Force-100XPTm8/18-XL	3	2.2	31~104	180~20	4"	2"
	100XPTm7/11-XL	2	1.5	22-70	180~20	4"	2"



XPART WATER PUMP

5" & 6" BORE WELL TYPE SUBMERSIBLE PUMP

TYPE OF APPLICATION:

Irrigation, Various Industries and Institute Applications

PRODUCT RANGE/GENERAL

CODE	MODEL	POWER		CAPACITY		Sn. inch	Dn. inch
		HP	KW	H/m	Q-l/m		
801023	125XPTm30/3-2.2	3	2.2	4~26	667~250	5"/6"	3"
801024	125XPTm30/4-3	4	3.0	5~34	675~250	5"/6"	3"
808733	150XPTm30/3-4	5.5	4.1	10~36	720~300	6"	3"
808738	150XPTm46/3-5.5	7.5	5.6	11~38	1100~300	6"	4"



DRAINAGE SUBMERSIBLE PUMP

TYPE OF APPLICATION:

Drainage Line, Sewage Treatment Plant
& Light Irrigation



PRODUCT RANGE/GENERAL

CODE	MODEL	POWER		CAPACITY		Sn. inch	Dn. inch
		HP	KW	H/m	Q-l/m		
801210	50XTm10-10-0.75	1	0.7	10	280	Open	2"
801211	50XTm15-10-1.1	1.5	1.1	11	360	Open	2"
801212	50XTm15-15-1.5	2	1.5	12	460	Open	2"

থ্রেডের পারফেক্ট কব্বিনেশন



RFL Teflon tape is widely used in plumbing for sealing pipe threads to reduce the risk of leaks when connecting metal pipes or thread pipes along plumbing or fuel lines. It is also known as PTFE tape, Teflon tape, Thread seal tape or plumber's tape.



- ACCURATE LENGTH
- VIRGIN MATERIAL
- 0.8MM THICKNESS
- 12MM WIDTH

ITEM CODE	MODEL
85124	TEFLON TAPE 10M
828954	TEFLON TAPE 20M



আর এফ এল

PRAN-RFL Center
105 Pragati Sarani, Middle Badda, Dhaka-1212
Hot-line: **0800-777777**
Web: **www.rflrmil.com**