

PRODUCTS CATALOGUE



নিখুঁত পরিমাপে আস্থা নিশ্চিত



আর এফ এল
ওয়িং স্কেল
আস্থার মাপকাঠি

RFL WEIGHING SCALE

PERSONAL SCALE T. GLS LIGHTING DISPLAY-180KG

- Code: 868814
- Max. Capacity: 180 Kg
- Division: 100gm
- Tempered Glass Panel
- 2 inch LCD Display
- 4 Sensor
- Low Battery & Overload Indicator
- White Backlight Display
- Auto On
- 2 Pcs 1.5V AAA Battery Free



PERSONAL SCALE SS T. GLS LIGHTING DISPLAY-180KG

- Code: 868815
- Max. Capacity: 180 Kg
- Division: 100gm
- Tempered Glass Panel
- 1.5 inch LCD Display
- 4 Sensor
- Low Battery & Overload Indicator
- Auto On
- 2 Pcs 1.5V AAA Battery Free



KITCHEN SCALE 5KG - GREEN

- Code: 80356
- Max Capacity: 5 kg
- PS Material Body
- Transparent Bowl for Measuring
- LCD Display with Backlight
- 2 Pcs 1.5V AA Battery Free



TABLE TOP SCALE

15 KG

- Code: 961538
- Max Capacity: 15kg
- Min Capacity: 20g
- Deviation: 1g
- Large LCD Display
- Built-in Rechargeable Battery
- Overload Indicator
- Price Computing
- Data Lock Function



TABLE TOP SCALE

20 KG

- Code: 868246
- Max Capacity: 20 kg
- Min Capacity: 20g
- Deviation: 1g
- ABS Body & Stainless Steel Tray
- Dual Side Bright LED Display
- Lead Acid Battery
- Tray Size: 270x210 mm
- Digital Clock Function
- Charge Saving Scale



TABLE TOP SCALE

POPULAR-30KG

- Code: 960046
- Max Capacity: 30kg
- Min Capacity: 20g
- Deviation: 1g
- Large LCD Display
- Built-in Rechargeable Battery
- Overload Indicator
- Price Computing
- Data Lock Function



RFL WEIGHING SCALE

TABLE TOP SCALE POPULAR-40KG

- Code: 960047
- Max. Capacity: 40kg
- Min. Capacity: 20g
- Deviation: 1g
- Display: Bright LED
- Function: Price Computing, Weighing Counting, Save, Zero, Tare, Etc.
- 4V4Ah Rechargeable Lead Acid Battery
- Strong Support for Protect Load Cell
- 97mm High Accuracy Load Cell
- 110v~240V-AC Cable



TABLE TOP SCALE 40KG (ACS-768)

- Code: 75420
- Max Capacity: 40 kg
- Min Capacity: 20g
- Deviation: 1g
- Non-magnetic Stainless Steel Body & Tray
- Dual Side Bright LED Display
- Lead Acid Battery
- Tray Size : 300 x 210 mm
- Charge Saving Scale



PORTABLE SMILE HANGING SCALE-50KG

- Code: 960098
- Max. Capacity: 50Kg
- Min. Capacity: 20 g
- Deviation: 5 g
- Tare Function, Auto Shut Off, Low battery Alarm
- Data Lock Function (for turning OFF/ON this function, Press "TARE" button for 5 second)
- Overload Indication: O-Ld
- Power: 3V (AAA Battery-2pcs)



PLATFORM SCALE 60KG-SMALL

- Code: 868624
- Max Capacity: 60kg
- Min. Capacity: 20g
- Deviation: 5g
- SS Tray, SS indicator & SS button
- Platform Size: 340x300mm/34x30cm/13.6x12inch (approx.)
- Lead Acid Battery
- Bright LED Display
- Charge Saving Scale



PLATFORM SCALE (LA-116x100) 100KG

- Code: 960531
- Max Capacity: 100 kg
- Non-magnetic SS Tray and Monitor
- Platform Size: 300x400mm/30x40cm/12x16inch (approx.)
- MS Back Grill
- Non-Magnetic SS Pole
- Carbon Steel Structure with Powder Coating
- Lead Acid Battery
- Bright LED Display
- Charge Saving Scale



PLATFORM SCALE (LA-116x200) 200KG

- Code: 808698
- Max Capacity: 200 kg
- Non-magnetic SS Tray and Monitor
- Platform Size: 400x500mm/40x50cm/16x20inch (approx.)
- MS Back Grill
- Non-Magnetic SS Pole
- Carbon Steel Structure with Powder Coating
- Lead Acid Battery
- Bright LED Display
- Charge Saving Scale



RFL WEIGHING SCALE

PLATFORM SCALE (LA-116x300) 300KG

- Code: 808998
- Max Capacity: 300 kg
- Non-magnetic SS Tray and Monitor
- Platform Size: 450x600mm/45x60cm/18x24inch (approx.)
- MS Back Grill
- Non-Magnetic SS Pole
- Carbon Steel Structure with Powder Coating
- Lead Acid Battery
- Bright LED Display
- Charge Saving Scale



PLATFORM SCALE (LA-116x500) 500KG

- Code: 808699
- Max Capacity: 500 kg
- Non-magnetic SS Monitor
- Platform Size: 600x800mm/60x80cm/24x32inch (approx.)
- MS Back Grill
- Checkered Plate Tray & SS Pole
- Carbon Steel Structure with Powder Coating
- Lead Acid Battery
- Bright LED Display
- Charge Saving Scale



PLATFORM SCALE INDUSTRIAL SCALE-1000KG

- Code: 828291
- Max Capacity: 1000 kg
- Movable Standing Pole for Monitor
- Platform Size: 800x800mm/80x80cm/32x32inch (approx.)
- Back Grill with MS Box
- Checkered Plate Tray
- Weighing & Pricing Indicator
- Lead Acid Battery
- Jumbo Load Cell
- Bright LED Display



CATTLE SCALE 3 TON

- Code: 960191 (Cattle Scale)
- Code: 960587 (Cattle Scale Premium)
- Scale size: 78.75 x 39.5 x 39.5 inch
- Weight capacity: 3 Ton
- Division value: 100 gm
- 2.5 mm MS checkered plate with powder coating
- Bright LED Display
- Long-lasting Lead Acid Battery
- Charge Saving
- Over Load Indicator



PLATFORM SCALE TRUCK/BRIDGE SCALE

- Code: 960465 (Truck/Bridge Scale-Portable)
- Code: 961018 (Truck/Bridge Scale)
- Platform size: 3 meter x 9 meter
- Weight capacity: 60 Ton
- Division value: 10 Kg
- Top plate thickness: 10 mm checkered plate
- Height of U-beam: 300 mm
- No. of U-beam: 6 pcs
- Surface painting: Anti-rust and anti-corrosion epoxy zinc painting
- Standard color: Grey
- Safe overload: 120%
- Body: 2 sections 4 pcs
- NO. of load cells: 6 pcs
- MOQ: 1 set



XPART WEIGHING SCALE

KITCHEN SCALE 5KG

- Code: 801360
- Max Capacity: 5kg
- Min Capacity: 20g
- Deviation: 1g
- LCD Display
- Support Both AC & DC Power



TABLE TOP SCALE 30KG (YY-768 POPULAR)

- CODE: 808166
- Max Capacity: 30 kg
- Min Capacity: 20g
- Deviation: 1g
- ABS Body & Stainless Steel Tray
- Dual Side Bright LED Display
- Lead Acid Battery
- Tray Size: 330x240 mm
- Charge Saving Scale



TABLE TOP SCALE 40KG (POPULAR)

- Code: 828978
- Max Capacity: 40 kg
- Min Capacity: 20g
- Deviation: 1g
- ABS Body & Stainless Steel Tray
- Dual Side Bright LED Display
- Lead Acid Battery
- Tray Size: 340x230 mm
- Charge Saving Scale



PLATFORM SCALE 60KG (MINI)

- Code: 828765
- Max Capacity: 60 kg
- Min Capacity: 20g
- Deviation: 1g
- SS Tray and Monitor
- Platform Size: 300x300mm/30x30cm/12x12inch (approx.)
- Powder Coating with MS Back Grill
- Lead Acid Battery
- Bright LED Display
- Charge Saving Scale



PLATFORM SCALE MS DELUX-100KG

- CODE: 960533
- Max Capacity: 100 kg
- Deviation: 10gm
- SS Monitor & Button
- Platform Size: 300x400mm
- MS Back Grill
- Checkered Plate Tray
- Non-magnetic SS Pole
- Lead Acid Battery
- Bright LED Display
- Charge Saving Scale



PLATFORM SCALE 200KG-MS FOLDING WITH WHEEL

- Code: 828286
- Max Capacity: 200 kg
- SS Monitor & Button
- Platform Size: 400x500mm/40x50cm/16x20 inch (approx.)
- MS Back Grill
- Checkered Plate Tray with Wheel
- Folding Pole with Carbon Steel Structure
- Lead Acid Battery
- Bright LED Display
- Charge Saving Scale



XPART WEIGHING SCALE

PLATFORM SCALE 200KG-MS FOLDING

- Code: 801384
- Max Capacity: 200 kg
- SS Monitor & Button
- Platform Size: 400x500mm/40x50cm/16x20 inch (approx.)
- MS Back Grill
- Checkered Plate Tray
- Folding Pole with Carbon Steel Structure
- Lead Acid Battery
- Bright LED Display
- Charge Saving Scale



PLATFORM SCALE 300KG-MS FOLDING WITH WHEEL

- CODE: 801398
- Max Capacity: 300 kg
- SS Monitor & Button
- Platform Size: 400x500mm/40x50cm/16x20 inch (approx.)
- MS Back Grill
- Checkered Plate Tray with Wheel
- Folding Pole with Carbon Steel Structure
- Lead Acid Battery
- Bright LED Display
- Charge Saving Scale



PLATFORM SCALE 300KG-MS FOLDING

- Code: 801399
- Max Capacity: 300 kg
- SS Monitor & Button
- Platform Size: 450x600mm/45x60cm/18x24 inch (approx.)
- MS Back Grill
- Checkered Plate Tray
- Folding Pole with Carbon Steel Structure
- Lead Acid Battery
- Bright LED Display
- Charge Saving Scale



POWER ADAPTER

- Code: 828107
- Nominal Voltage: 6V
- Capacity: 600mA
- With overvoltage protection
- Short circuit protection
- Over current protection
- Temperature Protection
- Has the advantages of high efficiency, energy saving
- Application: Digital Weighing Scale



XPT RECH BATTERY

- Code: 828381 (4V4AH)
- Code: 828382 (4V6AH)
- Nominal Voltage: 4V
- Capacity: 4Ah
- Terminal Type: T1
- Terminal Material: Copper
- Agm Technology
- Maintenance Free
- Wide Operating Temperature
- Spill Proof Design
- Pollution Free



সকল কাজের এক্সপার্ট সমাধান



SCREW DRIVER

- Blade: CR-V and Carbon Steel
- Handle: PP, TP, PVC
- Blade Dia: 5mm, 6mm & 6.5mm
- Size: 4" to 12"

SCREW DRIVER RB

CODE	MODEL	DO UNIT	MASTER BOX
828245	Screw Driver Flat Rb (6×100mm) 4"	12	240
828246	Screw Driver Star Rb (6×100mm) 4"	12	240
828247	Screw Driver Flat Rb (6×150mm) 6"	12	120
828248	Screw Driver Star Rb (6×150mm) 6"	12	120
828249	Screw Driver Flat Rb (6×200mm) 8"	12	120
828250	Screw Driver Star Rb (6×200mm) 8"	12	120
828251	Screw Driver Flat Rb (6x250mm) 10"	12	120
828252	Screw Driver Star Rb (6x250mm) 10"	12	120
828253	Screw Driver Flat Rb (6x300mm) 12"	12	120
828254	Screw Driver Star Rb (6x300mm) 12"	12	120



SCREW DRIVER R

CODE	MODEL	DO UNIT	MASTER BOX
828255	Screw Driver Flat R (6×100mm) 4"	12	240
828256	Screw Driver Star R (6×100mm) 4"	12	240
828257	Screw Driver Flat R (6×150mm) 6"	12	120
828258	Screw Driver Star R (6×150mm) 6"	12	120
828259	Screw Driver Flat R (6×200mm) 8"	12	120
828260	Screw Driver Star R (6×200mm) 8"	12	120
828261	Screw Driver Flat R (6x250mm) 10"	12	120
828262	Screw Driver Star R (6x250mm) 10"	12	120
828263	Screw Driver Flat R (6x300mm) 12"	12	120
828264	Screw Driver Star R (6x300mm) 12"	12	120



SCREW DRIVER HAMMER

CODE	MODEL	DO UNIT	MASTER BOX
828273	Hammer Screw Driver Flat (6.5×100mm) 4"	12	240
828274	Hammer Screw Driver Star (6.5×100mm) 4"	12	240
828275	Hammer Screw Driver Flat (6.5×150mm) 6"	12	120
828276	Hammer Screw Driver Star (6.5×150mm) 6"	12	120
828277	Hammer Screw Driver Flat (6.5×200mm) 8"	12	120
828278	Hammer Screw Driver Star (6.5×200mm) 8"	12	120
828279	Hammer Screw Driver Flat (6.5x250mm) 10"	12	120
828280	Hammer Screw Driver Star (6.5x250mm) 10"	12	120
828281	Hammer Screw Driver Flat (6.5x300mm) 12"	12	120
828282	Hammer Screw Driver Star (6.5x300mm) 12"	12	120





SCREW DRIVER SET

CODE	MODEL	DO UNIT	MASTER BOX
961142	9 in 1 interchangeable screw driver set	1	36
961143	4pcs interchangeable screw driver set	12	120



NEON TESTER

CODE	MODEL	DO UNIT	MASTER BOX
828360	Neon Tester 3.5×140mm-red	20	500
828362	Neon Tester 6.3×200mm-orange	12	192



DOUBLE HEAD SCREW BIT

CODE	MODEL	DO UNIT	MASTER BOX
868594	Double Head Screw Bit	200	800

STEEL MEASURING TAPE

- Blade Materials: Carbon Steel
- Body Materials: PVC & TPR
- Blade Size: 0.8mm and 16mm,19mm
- Size: 3m, 5m, 15m & 30m



MEASURING TAPE-CRYSTAL

CODE	MODEL	DO UNIT	MASTER BOX
960475	Crystal 3m X 16mm	1	60

MEASURING TAPE-PRO

CODE	MODEL	DO UNIT	MASTER BOX
960471	Maven 5m X 19mm	12	120
960472	Maven 3m X 16mm	12	120



MEASURING TAPE-METALLIC

CODE	MODEL	DO UNIT	MASTER BOX
960469	Metallic 3m X 16mm	12	120
960470	Metallic 5m X 19mm	12	120





MEASURING TAPE-CHOICE

CODE	MODEL	DO UNIT	MASTER BOX
960473	Choice 5m X 19mm	12	120
960474	Choice 3m X 16mm	12	120



MEASURING TAPE-FIBERGLASS

CODE	MODEL	DO UNIT	MASTER BOX
960476	Fiber Glass Measuring Tape 15m X 50ft	1	120
960477	Fiber Glass Measuring Tape 30m X 100ft	1	60



ALLEN KEY SET

CODE	MODEL	DO UNIT	MASTER BOX
868591	Allen Key Set Small	12	60
868592	Allen Key Set Large	6	60
868593	Allen Key Set Extra Large	6	60

PLIER

• Materials: CR-V, Mirror Polish, Rubber Handle • Size: 6" & 8"

CODE	MODEL	DO UNIT	MASTER BOX
80576	Combination Plier 6"	6	60
80577	Combination Plier 8"	6	60
80578	Cutting Plier 6"	6	60
80579	Cutting Plier 8"	6	60
80574	Nose Plier 6"	6	60
80575	Nose Plier 8"	6	60



HAND RIVETER

CODE	MODEL	DO UNIT	MASTER BOX
828419	HAND RIVETER - 12"	10	60



ANTI CUTTER

CODE	MODEL	DO UNIT	MASTER BOX
868987	Anti Cutter	20	100



XPART HARDWARE TOOLS

WRENCH

- Blade Materials: Carbon Steel Forged, CR-V
- Size: 8", 10", 12" & 18"

ADJUSTABLE WRENCH

CODE	MODEL	DO UNIT	MASTER BOX
80323	Adjustable Wrench 8"	5	60
80324	Adjustable Wrench 10"	5	50
80325	Adjustable Wrench 12"	5	40
868446	Adjustable Wrench 18"	2	12



ADJUSTABLE WRENCH

CODE	MODEL	DO UNIT	MASTER BOX
80327	Adjustable Wrench RG 8"	5	60
80328	Adjustable Wrench RG 10"	5	50
80329	Adjustable Wrench RG 12"	5	40



PIPE WRENCH

CODE	MODEL	DO UNIT	MASTER BOX
808521	Pipe Wrench S-10"	6	36
808522	Pipe Wrench S-12"	4	24
808523	Pipe Wrench S-14"	2	24
808524	Pipe Wrench S-18"	2	16
808525	Pipe Wrench S-24"	2	14



HAMMER

- Materials: 45# Carbon Steel
Rubber Hand Oak Wood, Fiber
- Size: 0.5 LBS to 16 LBS

BALL PIN HAMMER

CODE	MODEL	DO UNIT	MASTER BOX
961144	Ball Pin Hammer 0.25 LBS	6	72
80565	Ball Pin Hammer 0.5 LBS	6	60
80566	Ball Pin Hammer 0.75 LBS	6	48
80567	Ball Pin Hammer 1 LBS	6	36
80568	Ball Pin Hammer 1.5 LBS	6	24
80569	Ball Pin Hammer 2 LBS	6	24



CLAW HAMMER

CODE	MODEL	DO UNIT	MASTER BOX
868986	Mini Claw Hammer 0.75 LBS	12	72
961145	Claw Hammer 0.75 LBS (Fiberglass Handle)	6	36
868786	Claw Hammer 1 LBS	6	36



RUBBER HAMMER

CODE	MODEL	DO UNIT	MASTER BOX
868513	Rubber Hammer 450g	6	24
868514	Rubber Hammer 680g	6	24





MALLET HAMMER

CODE	MODEL	DO UNIT	MASTER BOX
868502	Mallet Hammer 25mm	6	48
868503	Mallet Hammer 30mm	6	48
868504	Mallet Hammer 40mm	6	24



SLEDGE HAMMER HEAD

CODE	MODEL	DO UNIT	MASTER BOX
868715	Sledge Hammer Head 4 Lbs	4	4
868505	Sledge Hammer Head 6 Lbs	4	4
868506	Sledge Hammer Head 8 Lbs	4	4
868507	Sledge Hammer Head 10 Lbs	4	4
868508	Sledge Hammer Head 12 Lbs	4	4
868812	Sledge Hammer Head 14 Lbs	2	2
868813	Sledge Hammer Head 16 Lbs	2	2

HAND SAW

- Materials: 55# Carbon Steel
- Wooden Handle
- Rubber Grip



HAND SAW RIP CUT

CODE	MODEL	DO UNIT	MASTER BOX
961151	Hand Saw 16" Rip Cut	6	48
868606	Hand Saw 18" Rip Cut	6	48



HACK SAW

CODE	MODEL	DO UNIT	MASTER BOX
868522	Hack Saw Frame 12"	6	36
868523	Hack Saw Blade 12"X0.5"	144	864
868973	Hack Saw Blade 12"X1" (Wood & Metal)	72	720

DRILL BITS

- HSS Materials
- Wooden, Metal & Concrete use




MASONRY DRILL BITS

CODE	MODEL	DO UNIT	MASTER BOX
868852	Masonry Drill Bits 6.5x100mm	50	400



DRILL BITS (METAL & WOOD)

CODE	MODEL	DO UNIT	MASTER BOX
868861	Drill Bits (Metal & Wood) 3x65mm 1/8"	50	1000
868862	Drill Bits (Metal & Wood) 3.9x75mm 5/32"	50	1000
868863	Drill Bits (Metal & Wood) 4.7x90mm 3/16"	50	200
868864	Drill Bits (Metal & Wood) 5.5x95mm 7/32"	50	1500
868865	Drill Bits (Metal & Wood) 6.3x100mm 1/4"	50	600
868866	Drill Bits (Metal & Wood) 7.8x115mm 5/16"	10	300
868867	Drill Bits (Metal & Wood) 9.4x120mm 3/8"	10	250
868868	Drill Bits (Metal & Wood) 10.9x140mm 7/16"	5	200
868869	Drill Bits (Metal & Wood) 12.5x150mm 1/2"	5	200
868870	Drill Bits (Metal & Wood) 20.3x240mm 13/16"	5	80



HAMMER DRILL BITS

CODE	MODEL	DO UNIT	MASTER BOX
868853	Hammer Drill Bits 6.5x110mm	10	500
868854	Hammer Drill Bits 8x160mm	10	200
868855	Hammer Drill Bits 10x210mm	10	300
868856	Hammer Drill Bits 12x300mm	10	100
868857	Hammer Drill Bits 14x260mm	10	120
868858	Hammer Drill Bits 16x260mm	10	100
868859	Hammer Drill Bits 18x300mm	5	40
868860	Hammer Drill Bits 20x300mm	5	50



DRILL BITS SET

CODE	MODEL	DO UNIT	MASTER BOX
868871	Drill Bits Set (Metal & Wood) (1.5-6.5mm)-13pcs	10	20

XPART HARDWARE TOOLS



PAINTING BRUSH

- Materials: Wooden Handle, Hair PET & PTT (PTT) Polyethylene Terephthalate (PET), And Polypropylene (PP)

CODE	MODEL	DO UNIT	MASTER BOX
868803	Painting Brush 1 inch	12	240
868804	Painting Brush 1.5 inch	12	240
868805	Painting Brush 2 inch	12	300
868806	Painting Brush 3 inch	12	240
868807	Painting Brush 4 inch	12	120
868808	Painting Brush 5 inch	6	96
960939	Painting Roller Cotton 4 inch	12	200
960940	Painting Roller & Handle Cotton 4 inch	12	100
868809	Painting Roller Cotton 9 inch	12	48
868810	Painting Roller & Handle Cotton 9 inch	12	48



SAFETY HELMET

- Materials: ABS & PP

CODE	MODEL	DO UNIT	MASTER BOX
828816	Rmil-safety Helmet-White	10	10
828817	Rmil-safety Helmet-Yellow	10	10
828226	Rmil-safety Helmet-Red	10	10
828227	Rmil-safety Helmet-Blue	10	10
960143	RMIL-Safety Helmet (PP) White	10	10
960144	RMIL-Safety Helmet (PP) Yellow	10	10
960145	RMIL-Safety Helmet(PP) Red	10	10
960146	RMIL-Safety Helmet (PP) Blue	10	10

ANGLE GRINDING MACHINE HEAVY DUTY-AG700W BS

- Code: 808905
- Input Power : 700 Watt
- No-load Speed : 11000/Min
- Max Disk Diameter : 100mm
- Usage : Grinding and Cutting
- Switch Type : Back Switch
- Rated Voltage : 180-220 Volt



ANGLE GRINDING MACHINE HEAVY DUTY-AG800W BS

- Code: 868718
- Input Power: 800 Watt
- No-load Speed: 11000/min
- Max Disk Diameter: 100mm
- Usage: Grinding & Cutting
- Switch Type : Back Switch
- Rated Voltage: 180-220V



ANGLE GRINDING MACHINE HEAVY DUTY-AG1000W BS

- Code: 868720
- Input Power: 1000 Watt
- No-load Speed: 11000/min
- Max Disk Diameter: 100mm
- Usage: Grinding & Cutting
- Switch Type : Back Switch
- Rated Voltage: 180-220V



ANGLE GRINDING MACHINE HEAVY DUTY-AG1000W TS

- Code: 868721
- Input Power: 1000 Watt
- No-load Speed: 11000/min
- Max Disk Diameter: 100mm
- Usage: Grinding & Cutting
- Switch Type : Trigger Switch
- Rated Voltage: 180-220V



XPART POWER TOOLS

ANGLE GRINDING MACHINE **AG800W-POPULAR BS**

- Code: 868516
- Input Power : 800 Watt
- No-load Speed : 11000/Min
- Max Disk Diameter : 100mm
- Usage : Grinding and Cutting
- Switch Type : Back Switch
- Rated Voltage : 180-220 Volt



CAR WASHER PUMP **1500W**

- Code: 961089
- Input Power : 1500 Watt
- Max pressure: 60 BAR
- Flow Rate: 8.0L/Min
- Rated Voltage : 220-240 Volt
- Copper Wire Induction Motor
- 1 Set Water Spray Gun



ELECTRIC DRILL **ED 350W**

- Code: 960012
- Input Power : 350 Watt
- No-load Speed : 2700/Min
- Max Drilling Capacity : 10mm
- Rated Voltage : 180-220 Volt
- Use: Wood and Aluminum



IMPACT DRILL MACHINE **ID650W**

- Code: 828475
- Input Power : 650 Watt
- No-load Speed : 2700/Min
- Max Drilling Capacity : 13mm
- Rated Voltage : 180-220 Volt
- Use: Wood and Aluminum & Brick



IMPACT DRILL MACHINE ID850W

- Code: 808280
- Input Power : 850 Watt
- No-Load Speed : 2700/Min and Variable
- Max Drilling Capacity : 13mm
- Rated Voltage : 180-220 Volt
- Use : Wood and Aluminum & Brick & Concrete
- Extra hammering mode



HAMMER DRILL MACHINE HD800W

- Code: 808281
- Input Power : 800 Watt
- No-load Speed : 900/Min
- Max Drilling Capacity : 26mm
- Switch Type : Trigger
- Rated Voltage : 180-220 Volt



HAMMER DRILL MACHINE HD850W

- Code: 961668
- Input Power : 850 Watt
- No-load Speed : 900/Min
- Max Drilling Capacity : 28mm
- Switch Type : Trigger
- Rated Voltage : 180-220 Volt



CORDLESS DRILL MACHINE CD14.4V

- Code: 868517
- One Hour Quick Charger
- Two Li-ion Battery
- 3/8inch, 10mm Chuck
- Soft Grip Handle



XPART POWER TOOLS

CORDLESS DRILL MACHINE **CD 12V/1.5AH**

- Code: 961090
- One Hour Quick Charger
- Two Li-ion Battery
- 3/8inch, 10mm Chuck



DEMOLITION BREAKER **1700W**

- Code: 961101
- Input Power: 1700W
- Impact Rate: 1950BPM
- Tool Holder: HEX 30
- Impact Force: 15.0 J
- Usage : Demolition and Breaker
- Rated Voltage: 220V-240V



HAND BLOWER MACHINE **HB 600W**

- Code: 868445
- Input Power : 600 Watt
- Speed : Variable Speed
- Body Material : ABS
- Rated Voltage : 180-220 Volt



HAND BLOWER **HB 650W-POPULAR**

- Code: 960015
- Input Power : 650 Watt
- Speed : Variable Speed
- Body Material : ABS
- Rated Voltage : 180-220 Volt



FS PLASTIC FLIM SEALER IFS 200W-8"

- Code: 960017
- Power: 200W
- Sealer Capacity: 200mm
- Sealer Area: 2mm
- Rated Voltage : 180-220 Volt
- Body Material: Metal



FS PLASTIC FLIM SEALER 8MM IFS 660W-12"

- Code: 960346
- Power: 660W
- Sealer Capacity: 300mm
- Sealer Area: 8mm
- Rated Voltage : 180-220 Volt
- Body Material: Metal



ELECTRIC PLANNER MACHINE EP 600W

- Code: 828928
- Input Power : 600 Watt
- No-load Speed : 16000/Min
- Planing Width : 82mm
- Planing Depth : 0mm-8mm
- Rated Voltage : 180-220 Volt



CUTTING MACHINE CM 2400W (14")

- Code: 801230
- Input Power : 2400 Watt
- No-load Speed : 3800/Min
- Max Disk Diameter : 355mm, 14"
- Guard : Spark diversion guard
- Rated Voltage : 180-220 Volt



CUTTING MACHINE CM 2200W-3HP

- Code: 808282
- Input Power : 2200 Watt
- No-load Speed : 1450/Min
- Max Disk Diameter : 400mm, 16"
- Guard : Spark diversion guard
- Rated Voltage : 180-220 Volt



WELDING MACHINE STICK 200A-POPULAR

- Code: 960103
- Voltage : 220v±15%
- Frequency : 50Hz/60Hz
- Rated Input Capacity: 5.6KVA
- No-load Voltage : 68V
- Output Current : 20-200A
- Output Voltage : 28V
- Electrode Size : 1.6-4.0mm
- Power Factor : 0.93
- Duty Cycle : 60%
- Efficiency : 85%
- Insulation Class : F
- Protection Class : IP21S



WELDING MACHINE TIG & ARC 250A

- Code: 868224
- Voltage : 220V±15%
- Frequency : 50Hz/60Hz
- Rated input capacity : 6.9KVA
- No-load voltage : 63V
- Electrode Size : 1.6-5.0mm
- Duty cycle : 60%
- Efficiency : 85%
- Protection class : IP21S
- Output current : TIG: 30-250A, ARC:30-230A
- Output voltage : TIG:19.3V, ARC:29.5A



WELDING MACHINE ARC 180A POPULAR

- Code: 961138
- Voltage : 220v±15%
- Frequency : 50Hz/60Hz
- Rated Input Capacity: 4.9KVA
- No-load Voltage : 68V
- Output Current : 20-180A
- Output Voltage : 26.4V
- Electrode Size : 1.6-4.0mm
- Insulation Class : F
- Protection Class : IP21S



WELDING MACHINE ARC 315A POPULAR

- Code: 961139
- Voltage : 220V±15%
- Frequency : 50Hz/60Hz
- Rated input capacity : 12KVA
- No-load voltage : 70V
- Output Current : 20-315A
- Output Voltage : 32.6V
- Electrode Size : 1.6-5.0mm
- Insulation Class : F
- Protection Class : IP21S



GASOLINE CHAINSAW-20 inch

- Code: 961102
- Displacement: 54.6 CC
- Input Power: 2500W (3.4HP)
- Idling Speed: 3000 R/MIN
- Max Cutting: 50CM
- Engine Oil Tak Capacity: 260ML
- Two Cycle Oil/Gasoline Mixing Ratio: 1:25
- Usage: Saw & Cutting



GASOLINE CHAINSAW-24 inch

- Code: 961103
- Displacement: 54.6 CC
- Input Power: 2500W (3.4HP)
- Idling Speed: 3000 R/MIN
- Max Cutting: 60CM
- Engine Oil Tak Capacity: 260ML
- Two Cycle Oil/Gasoline Mixing Ratio: 1:25
- Usage: Saw & Cutting



পাঙ্কা ঝালাইয়ের পাঙ্কা নিশ্চয়তা



XPARTTM
WELDING ELECTRODE

XPART WELDING ELECTRODE



XPART FERRO (E-6012)

Code	Item Name	Size (mm)	Length (mm)	Stick per pkt. ± 2	KG. Per Pkt.	Recommended Current Ranges (Amperes)
828113	Xpart Marine (E-6013)	2.5	350	179	3 Kg	75-100
828705	Xpart Marine (E-6013)	3.2	350	145	4 Kg	100-125
960842	Xpart Marine (E-6013)	4.0	450	94	5 Kg	135-175



XPART MARINE (E-6013)

Code	Item Name	Size (mm)	Length (mm)	Stick per pkt. ± 2	KG. Per Pkt.	Recommended Current Ranges (Amperes)
828114	Xpart Ferro (E-6012)	3.2	450	146	5 Kg	95-125



XPART ARC (E-6013)

Code	Item Name	Size (mm)	Length (mm)	Stick per pkt. ± 2	KG. Per Pkt.	Recommended Current Ranges (Amperes)
960846	Xpart ARC (E-6013)	3.2	450	146	5.15 Kg	95-125
868253	Xpart ARC (E-6013)	4.0	450	87	5 Kg	125-175
960845	Xpart ARC (E-6013) PB	3.2	450	146	5.15 Kg	95-125

XPART WELDING ELECTRODE



XPART GEN WELD (E-6013)

Code	Item Name	Size (mm)	Length (mm)	Stick per pkt. ± 2	KG. Per Pkt.	Recommended Current Ranges (Amperes)
960843	Xpart Gen Weld (E-6013)	2.5	350	164	3 Kg	70-90
960844	Xpart Gen Weld (E-6013)	3.2	350	100	3 Kg	95-125



XPART SUPER WELD (E-6013)

Code	Item Name	Size (mm)	Length (mm)	Stick per pkt. ± 2	KG. Per Pkt.	Recommended Current Ranges (Amperes)
962212	Xpart Super Weld (E-6013)	3.2	350	100	3 Kg	95-125



MILD STEEL (E-6013)

Code	Item Name	Size (mm)	Length (mm)	Stick per pkt. ± 2	KG. Per Pkt.	Recommended Current Ranges (Amperes)
960840	Mild Steel Welding Electrode	3.2	350	160	5 Kg	100-125
828115	Mild Steel Welding Electrode	3.2	450	125	5 Kg	100-125
960841	Mild Steel Welding Electrode	4.0	450	84	5 Kg	135-175

নিখুঁত কাটিং-এর
এক্সপার্ট সমাধান



DISK

XPART DISK

MARBLE & GRANITE CUTTING/DIAMOND DISK

- Disk Type: Segment Type
- Body Material: 65 Grade Menganise Steel
- Segment Materials: Diamond and Metal powder
- Segment Size : 10mm
- Segment Thickness : 2mm



CODE	MODEL	SIZE	DO UNIT	MASTER BOX
962216	4" Universal Diamond Disk	114x12x22.2mm	20	200
962215	4" Blue Diamond Disk	114x12x22.2mm	20	200
80379	4" Gold Diamond Disk	114x12x22.2mm	20	200
80378	7" Gold Diamond Disk	180x10x22.2mm	5	50

TILES CUTTING/DIAMOND DISK

- Disk Type: RIM Type
- Body Material: 65 Grade Menganise Steel
- Segment Materials: Diamond and Metal powder
- Segment Size: 10mm
- Segment Thickness: 1.7mm



CODE	MODEL	SIZE	DO UNIT	MASTER BOX
828136	4" Tiles Cutting Disk (Yellow)	105x10x22.2mm	20	200
962217	4" Tiles Cutting Disk (Ultra)	105x10x22.2mm	20	200

WALL & BRICKS CUTTING/DIAMOND DISK

- Disk Type: Segment Type
- Body Material: 65 Grade Menganise Steel
- Segment Materials: Diamond and Metal powder
- Segment Size: 10mm
- Segment Thickness: 2mm



CODE	MODEL	SIZE	DO UNIT	MASTER BOX
828138	4" Wall Cutting Disk (Brown)	110x10x2x22.2mm	20	200
828424	5" Wall Cutting Disk (Brown)	125x10x2x22.2mm	20	200

WOOD
CUTTING DISK
CIRCULAR SAW BLADE

- Disk Type: Circular Saw Blade
- Body Material: 65 Grade Menganise Steel
- Tips Materials: Carbide Tipped
- Teeth Type: ATB (Alternat top Bevel) Teeth



CODE	MODEL	SIZE	DO UNIT	MASTER BOX
828139	4" Wood Cutting Saw (40T)	100x40Tx16	20	200
828140	7" Wood Cutter Saw (60T)Popular	185x60Tx25.4/20	5	70
828141	7" Wood Cutter Saw (60T)Premium	185x60Tx25.4	5	70

ALUMINIUM
CUTTING DISK
CIRCULAR SAW BLADE

- Disk Type: Circular Saw Blade
- Body Material: 65 Grade Menganise Steel
- Tips Materials: Carbide Tipped
- Teeth Type: ATB (Alternat top Bevel) Teeth



CODE	MODEL	SIZE	DO UNIT	MASTER BOX
828142	12" Aluminium Cutter Saw (120T) Popular	305x120Tx30/25.4mm	1	20
828143	12" Aluminium Cutter Saw (120T) Premium	305x120Tx30/25.4mm	1	20

METAL
GRINDING DISK

- Disk Type: T24/27
- Materials: Aluminum Oxide
- Fiber Net Qty: 2.5 pcs (Both Side)
- Thickness: 6mm



CODE	MODEL	SIZE	DO UNIT	MASTER BOX
80381	4" (6mm) Metal Grinding Disk	100x6x16mm/4"x1/4"x5/8"	25	200
828154	4" (6mm) Metal Grinding Disk (Premium)	100x6x16mm/4"x1/4"x5/8"	25	200
960069	4" (3mm) Metal Grinding Disk (Green)	100x6x16mm/4"x1/4"x5/8"	25	200
80384	7" (6mm) Metal Grinding Disk	180x6x22.2mm/7"x1/4"x7/8"	25	100

XPART DISK

METAL CUTTING DISK

- Disk Type: T41
- Materials: Aluminum Oxide
- Fiber Net Qty: 2 pcs (Both Side)
- Thickness: 1.2mm to 3mm
- Black Paper Qty: 2 pcs (Both Side)



CODE	MODEL	SIZE	DO UNIT	MASTER BOX
808709	4" (1.2mm) Metal Cutting Disk(Green)	100x1.2x16mm/4"x3/64"x5/8"		800
808915	4" (1.2mm) Metal Cutting Disk (Red)	100x1.2x16mm/4"x3/64"x5/8"		800
80380	4" (1.2mm) Metal Cutting Disk (Black)	100x1.2x16mm/4"x3/64"x5/8"		800
828355	7" (1.6mm) Metal Cutting Disk (Green)	180x1.6x22.2mm/7"x1/16"x7/8"		200
808710	14" (3mm) Professional Metal Cutting Disk (Green)	355x3x25.4mm/14"x1/8"x1"		15
808201	16" (3mm) Professional Metal Cutting Disk (Green)	405x3x25.4mm/16"x1/8"x1"		15

FLAP DISK FINISHING DISK

- Disk Type: Flap Disk
- Body Materials: Fiber & Fiber Glass
- Grain Materials: Aluminum Oxide



CODE	MODEL	SIZE	DO UNIT	MASTER BOX
828373	4" Flap Disk (A60)FGC	100x16mm (Cloth size: 72x16x24)	20	200
828374	4" Flap Disk (A80)FGC	100x16mm (Cloth size: 72x16x24)	20	200
828375	4" Flap Disk (A120)FGC	100x16mm (Cloth size: 72x16x24)	20	200

TWISTED WIRE CUP BRUSH
FINISHING DISK

- Disk Type: Cup Brush
- Body Materials: Metal
- Grain Materials: Brush Wire



CODE	MODEL	SIZE	DO UNIT	MASTER BOX
960464	3" Twisted Wire Cup Brush	100x16mm	10	100

POLISHING DISK
FINISHING DISK

- Disk Type: Non Oven Polishing Wheel
- Size: 4"
- Body Materials: Plastic
- Grain Materials: White Aluminium



CODE	MODEL	SIZE	DO UNIT	MASTER BOX
828378	4" Foam Disk (Red)	100x12x16mm	200	200

POLISHING PAD
FINISHING DISK

- Disk Type: Polished Pad
- Body Materials: Fiber & Fiber Glass



CODE	MODEL	SIZE	DO UNIT	MASTER BOX
960071	4" Polishing Pad	100x16mm	10	100
961147	5" Polishing Pad	125x16mm	10	80
961149	7" Polishing Pad	175x16mm	10	60

Unmatched DURABILITY
with Unbreakable SECURITY



MORTISE LOCK PROTECT

- Code: 961628
- Material: Zinc & Aluminium
- Mortise Handle
- Length: 230mm
- Match small cylinder & 4550 lock body



MORTISE LOCK SECURE

- Code: 961629
- Material: Zinc & Aluminium
- Mortise Handle
- Length: 230mm
- Match small cylinder & 4550 lock body



MORTISE LOCK SAFER

- Code: 961631
- Material: Zinc & Aluminium
- Mortise Handle
- Length: 260mm
- Match small cylinder & 4585 lock body



XPART DOOR ACCESSORIES

CYLINDRICAL DOOR LOCK ROYAL

- Code: 828754
- Solid Zinc Latch
- Attractive Rosette Design
- Full Brass Lock Cylinder & Computer Key
- Big Knob, Convenient Size
- Cylindrical Body Diameter: 53mm
- Rosette Plate Diameter: 75mm
- Basket: 60mm
- Door Thickness: 25-50mm
- Color: Antique Copper
- Applicable for Metal & Wooden Door



CYLINDRICAL DOOR LOCK KING

- CODE: 828755
- Solid Zinc Latch
- Attractive Rosette Design
- Full Brass Lock Cylinder & Computer Key
- Big Knob, Convenient Size
- Cylindrical Body Diameter: 53mm
- Rosette Plate Diameter: 75mm
- Basket: 60mm
- Door Thickness: 25-50mm
- Color: SS
- Applicable for Metal & Wooden Door



CYLINDRICAL DOOR LOCK CROWN

- Code: 828756
- Solid Zinc Latch
- Attractive Rosette Design
- Full Brass Lock Cylinder & Computer Key
- Big Knob, Convenient Size
- Cylindrical Body Diameter: 53mm
- Rosette Plate Diameter: 75mm
- Basket: 60mm
- Door Thickness: 25-50mm
- Color: Antique Copper
- Applicable for Metal & Wooden Door



CYLINDRICAL DOOR LOCK PRINCE

- Code: 960167
- Material: Zinc
- Rossette plate, lock button: iron
- Rossette plate dia: 80mm, flower
- lock cylinder: brass
- Backset: 60mm
- Latch Plate &striker : Iron 1.0mm
- Knob dia: 53mm
- Cylindrical body dia: 53mm
- Door thickness: 25mm-45mm
- Colour: as per picture



DOOR VIEWER 15.5MM

- Code: 828328
- Material: Zinc Alloy
- Diameter: 15.5mm
- Adjustable Door Thickness: 25-45mm
- Finishing Chrome Plating
- High Quality Optical Lens with Crystal Clear View
- 200 Degree Wide Angle View for Extra Ordinary Coverage
- Privacy Cover to Prevent Visibility from Outside to Inside
- Applicable for Metal Door Wooden Door
- Thickness size : 19x22mm



DOOR MAGNET 3 INCH

- Code: 828371
- Material: Stainless Steel
- Size: 3inch
- Polished Finish
- Big Spring
- Strong Magnet
- Accessories Set Included



DRAWER LOCK

- Code: 828205
- Zinc Alloy Material
- Dimension: 40x40mm
- With 2pcs brass computer key with ring
- Latch: Zinc Alloy 3mm
- Thickness size :19x22mm



DOOR HINGE 4x3x3

- Code: 828757
- Material: Stainless Steel
- 100% Stainless Steel
- Advanced Technology Welded Finish
- High Quality Satin Finishing
- Free Accessories
- Applicable for Indoor & Outdoor use



DOOR HINGE 5x3x3

- Code: 828372
- Material: Stainless Steel
- 100% Stainless Steel
- Advanced Technology Welded Finish
- High Quality Satin Finishing
- Free Accessories
- Applicable for Indoor & Outdoor use



SS FLAG HINGE 2 INCH

- Code: 868045
- 201 Stainless Steel
- 4K Mirror Polish
- 1.2mm Sheet Thickness
- 304 SS Inner Rod Dia 7.6mm
- Both Sided Used LDPE Cap
- Length: 69mm
- Width: 30mm



TOWER BOLT 4 INCH

- Code: 868043
- Body Size: 88x36mm
- Thickness: 1mm
- Rod Dia: 8mm
- 100% Stainless Steel
- Well-Polished Bolt



TOWER BOLT 5 INCH

- Code: 960577
- Body Size: 130x36mm
- Thickness: 1mm
- Rod Dia: 8mm
- 100% Stainless Steel
- Well-Polished Bolt



TOWER BOLT 6 INCH

- Code: 868044
- Body Size: 142x36mm
- Thickness: 1mm
- Rod Dia: 8mm
- 100% Stainless Steel
- Well-Polished Bolt



XPART DOOR ACCESSORIES

TOWER BOLT 6 INCH SQUARE

- Code: 828759
- Material: Stainless Steel
- Weight without Head: 0.175g
- Body Length: 150mm
- Body Width: 37mm
- Rod Dia: 11.4mm
- Thickness: 0.6mm



TOWER BOLT 8 INCH SQUARE

- Code: 828760
- Material: Stainless Steel
- Weight without Head: 0.24g
- Body Length: 200mm
- Body Width: 37mm
- Rod Dia: 11.4mm
- Thickness: 0.6mm



DESIGN TOWER BOLT 8 INCH

- Code: 962274
- Material: Stainless Steel
- Weight without Head: 0.24g
- Body Length: 200mm
- Body Width: 37mm
- Rod Dia: 11.4mm
- Thickness: 0.6mm



CABINET HINGE FULL ROUND

- Code: 868524
- 35mm cup slide-on two way concealed hinge
- Material: Stainless Steel 201
- Diameter of hinge cup : 35mm
- Distance of two hole center :48mm
- Accessories screw included 6 screws
- Brass based finish inside



CABINET HINGE HALF ROUND

- Code: 960361
- 35mm cup slide-on two way concealed hinge
- Material: Stainless Steel 201
- Diameter of hinge cup : 35mm
- Distance of two hole center :48mm
- Accessories screw included 6 screws
- Brass based finish inside



CABINET HINGE STRAIGHT

- Code: 868525
- 35mm cup slide-on two way concealed hinge
- Material: Stainless Steel 201
- Diameter of hinge cup : 35mm
- Distance of two hole center :48mm
- Accessories screw included 6 screws
- Brass based finish inside



SIDE CLAMP 56mm ECO

- Code: 868048
- Materials: Galvanized Iron
- Weight without head: 0.03g
- Length of Body: 195mm
- Width of Body: 20mm
- Thickness: 1.2



SIDE CLAMP 63mm COSMIC

- Code: 868046
- Materials: Galvanized Iron
- Weight without head: 0.03g
- Length of Body: 188mm
- Width of Body: 20mm
- Thickness: 1.2



SIDE CLAMP 62mm POPULAR

- Code: 868047
- Materials: Galvanized Iron
- Weight without head: 0.049g
- Length of Body: 222mm
- Width of Body: 25mm
- Thickness: 1.2



HASH BOLT SS GUARD

- Code: 961632
- Matetial: iron
- 10" Door bolt
- 14mm diameter



HASH BOLT AB DEFENSE

- Code: 961633
- Matetial: iron
- 10" Door bolt
- 14mm diameter



ANGLE CORNER

- Code: 868050
- Q235 GI Sheet
- 0.8mm Sheet Thickness
- Measurement: 47mm



PADLOCK SULEMAN-40 MM

- Code: 961637
- Material: Iron
- Size: 40mm
- 3 pcs iron key



PADLOCK SULEMAN-50 MM

- Code: 961638
- Material: Iron
- Size: 50mm
- 3 pcs iron key



PADLOCK SULEMAN-60 MM

- Code: 961639
- Material: Iron
- Size: 60mm
- 3 pcs iron key



নিরাপদ ও
মজবুত


আর এফ এল
LADDER

HOUSEHOLD LADDER-NARROW

- Maximum Load: 150 kg
- Step Distance: 24cm
- Material : Aluminum
- Thickness : 1.3-1.5 mm
- Portable light weight
- Easy to carry and set up
- Convenient to store
- Durable and elegant
- Slip-resistant provides a non-skid area from standing
- Non-marring provides slip-resistance and protects floor from damage
- Standing without any support (When Closed)

	5 STEP	6 STEP	7 STEP	8 STEP	6 STEP (SKYLINE)
Code	801348	801349	801350	868956	868885
Step distance	24	24	24	24	24
Close height	165	200	224	246	200
Open height	155	188	211	234	188



HOUSEHOLD LADDER-WIDE

- Maximum Load: 150 kg
- Step Distance: 24cm
- Material : Aluminum
- Thickness : 1.3-1.5 mm
- Portable light weight
- Easy to carry and set up
- Convenient to store
- Durable and elegant
- Slip-resistant provides a non-skid area from standing
- Non-marring provides slip-resistance and protects floor from damage

	5 STEP	6 STEP	7 STEP
Code	801351	801352	828106
Step distance	24	24	24
Close height	178	199	223
Open height	168	189	213



HOUSEHOLD LADDER-CLASSIC

- Maximum Load: 150 kg
- Portable light weight
- Easy to carry and set up
- Convenient to store
- Durable and elegant
- Slip-resistant provides a non-skid area from standing
- Non-marring provides slip-resistance and protects floor from damage
- MS top step & clamp with powder coted
- Hand tools keeping facilities



	5 STEP	6 STEP	7 STEP	8 STEP	9 STEP	10 STEP
Code	960901	960902	960903	960910	960911	960912
Step Distance	23.5	23.5	23.5	23.5	23.5	23.5
Close Height	168.91	168.91	214.63	237.49	259.08	281.94
Climb Step Height	109.22	109.22	153.67	176.53	199.39	220.98
Expanded Width	53.34	53.34	53.34	53.34	51.82	45.72

TOOLS GROUP-SALES	
DESIGNATION	Divisional Sales Manager
DIVISION	
MOBILE	
DESIGNATION	Zonal Manager
ZONE	
MOBILE	
DESIGNATION	Sales Representative
BASE	
MOBILE	



আর এফ এল

Head Office:

105 Pragati Sarani, Middle Badda, Dhaka-1212, Bangladesh
Hot line: 0800-7777777, Web: www.rflbd.com