



WIND OF PROGRESS...

VISION[®]
FAN



Why VISION FAN is best

VISION Fan is the premium category electric brand which has launched in 2014 at Habiganj Industrial Park (HIP) in Bangladesh. Nowadays VISION using modern technologies and automations in fan manufacturing procedures in all related departments. We ensure the materials' quality and safety using durable electric silicon sheet, super enameled copper, quality armature, pure aluminum etc. We use automatic machine to do powder coating paint on body and blade of the Fan which basically fights against moisture. The steel chrome ball bearing ensures smooth and easy running is another quality addition. VISION FAN maintains E-class insulation copper to make armature which won't be damaged or spoiled even the temperature is 130°. Power factor of ceiling Fan denotes the performance grading rank out 0.0 to 1 whereas we maintain 0.9 and above. In addition, anti-dust technology is another proposition for VISION ceiling Fan. VISION FAN has Pedestal, Table, Wall, ceiling Net and Exhaust Fan as well. With the touch of up-gradation Vision electronics maintain the quality of design, color, standard speed and low electricity consumption of Fan even successfully testify the R.P.M and air delivery to meet up consumer's demand. At this moment we can say that Vision Ceiling Fan is one of the most popular fan brands in Bangladesh and winning over the border to different countries too. Capitalize the popularity and brand name want to create positive buzz and grow massive engagement with the end customers Brand Name. We encourage our consumers to purchase our product with full of believable and trustworthiness. The VISION Fan quality belongs A category Fan which is involved and enlisted to PWD, prolongs efficiency grades specified by BSTI and SLAR (Standard & Labeling of Appliance Regulations).



MD of RFL Group receiving the Green Factory award, where virtually connected Honourable Prime Minister of People's Republic of Bangladesh.



Decora 4 Blades Ceiling Fan

Code: 901903

High precision chrome steel Japanese ball bearing

High quality liquid paint & ABS coating

Whisper quiet motor Remote control

Auto sleeping mode 2H, 4H & 8H, 18W LED light

Aerodynamic Aluminum blade allow high velocity air

Maximum air delivery throughout the room

Safety wire for preventing any unwanted accidents



1400 mm / 56"



220-230 Volt
Rated Voltage



95 Watt
Rated Power



50Hz
Frequency



210 R.P.M.
Speed



165 M³/Min
Air Delivery





Maxima Ceiling Fan

Code: 876724

99.99% pure copper wire

High quality electric silicon steel sheet

High precision chrome steel ball bearings

High quality powder coating paint

Whisper quiet motor, Regulated / Dimmer control

Ideal for year round operation

Safety wire for preventing any unwanted accidents



1400 mm / 56"



220-230 Volt
Rated Voltage



80 Watt
Rated Power



50Hz
Frequency



320 R.P.M.
Speed



200 M³/Min
Air Delivery



Harmony Ceiling Fan

Code: 876723

High quality electric silicon steel sheet

High precision chrome steel ball bearings

High quality powder coating paint

Whisper quiet motor, Regulated / Dimmer control

Safety wire for preventing any unwanted accidents

Aerodynamic aluminum blades allow high velocity air

Maximum air delivery throughout the room



1400 mm / 56"



220-230 Volt
Rated Voltage



80 Watt
Rated Power



50Hz
Frequency



315 R.P.M.
Speed



221 M³/Min
Air Delivery



Royal Ceiling Fan

Code: 900999, Whisper quiet motor

99.99% pure copper wire

Electric silicon steel sheet, Regulated / Dimmer control

Ideal for year round operation, High quality powder coating paint

High precision chrome steel ball bearings

Safety wire for preventing any unwanted accidents



1400 mm / 56"



220-230 Volt
Rated Voltage



80 Watt
Rated Power



50Hz
Frequency



315 R.P.M.
Speed



221 M³/Min
Air Delivery



Royal Ceiling Fan Maroon

Code: 876094, 99.99% pure copper wire

Electric silicon steel sheet

High precision chrome steel ball bearings

High quality liquid coating paint, Whisper quiet motor

Ideal for year round operation

Safety wire for preventing any unwanted accidents



1400 mm / 56"



220-230 Volt
Rated Voltage



80 Watt
Rated Power



50Hz
Frequency



315 R.P.M.
Speed




221 M³/Min
Air Delivery




VISION Super Ceiling Fan 56" (Ivory)

Code: 94731, S99.99% pure copper wire
 High quality electric silicon steel sheet
 High precision chrome steel ball bearings
 High quality powder coating paint, Whisper quiet motor
 Regulated / Dimmer control, Ideal for year round operation
 Safety wire for preventing any unwanted accidents
 Aerodynamic aluminum blades allow high velocity air
 Maximum air delivery throughout the room



VISION Super Ceiling Fan 56" (White)

Code: 94728, 99.99% pure copper wire, High quality electric silicon steel sheet
 High precision chrome steel ball bearings, High quality powder coating paint
 Whisper quiet motor, Regulated / Dimmer control, Ideal for year round operation
 Safety wire for preventing any unwanted accidents
 Aerodynamic aluminum blades allow high velocity air
 Maximum air delivery throughout the room





Dreamy Ceiling Fan

Code: 70045, Whisper quiet motor
 Regulated / Dimmer control
 High quality electric silicon steel sheet
 High precision chrome steel ball bearings
 Powder coating with high quality paint
 Safety wire for preventing any unwanted accidents
 Aerodynamic aluminum blades allow high velocity air



1200 mm / 48"



220-230 Volt
 Rated Voltage



80 Watt
 Rated Power



50Hz
 Frequency



370 R.P.M.
 Speed



175 M³/Min
 Air Delivery



Ultima Ceiling Fan

Code: 876100, S99.99% pure copper wire
 High quality electric silicon steel sheet
 High precision chrome steel ball bearings
 High quality powder coating paint, Whisper quiet motor
 Regulated / Dimmer control, Ideal for year round operation
 Safety wire for preventing any unwanted accidents
 Aerodynamic aluminum blades allow high velocity air
 Maximum air delivery throughout the room



1400 mm / 56"



220-230 Volt
 Rated Voltage



80 Watt
 Rated Power



50Hz
 Frequency



320 R.P.M.
 Speed



210 M³/Min
 Air Delivery



Aerial Ceiling Fan

Code: 876103, Electric silicon steel sheet
 High precision chrome steel ball bearings
 High quality special glittering powder coating paint
 Whisper quiet motor, Regulated / Dimmer control
 Ideal for year round operation
 Maximum air delivery throughout the room



1400 mm / 56"



220-230 Volt
 Rated Voltage



80 Watt
 Rated Power



50Hz
 Frequency



310 R.P.M.
 Speed



190 M³/Min
 Air Delivery



Smart Saver Ceiling Fan

Code: 901560, Minimum energy consumption
 30% more efficient than ordinary fans
 Payback period of 3 years, 99.99% pure copper wire
 High quality electric silicon steel sheet
 High precision chrome steel ball bearings, Powder coated paint
 Whisper quiet motor, Regulated / Dimmer control



1400 mm / 56"



220-230 Volt
 Rated Voltage



65 Watt
 Rated Power



50Hz
 Frequency



315 R.P.M.
 Speed



220 M³/Min
 Air Delivery



Glitter Ceiling Fan (Maroon)

Anti-Dust and Easy to Clean

99.99% pure copper wire
 High quality electric silicon steel sheet
 High quality powder coating paint
 Whisper quiet motor
 Regulated / Dimmer control
 Aerodynamic aluminum blades allow high velocity air



1400 mm / 56"



220-230 Volt
 Rated Voltage



85 Watt
 Rated Power



50Hz
 Frequency



315 R.P.M.
 Speed



200 M³/Min
 Air Delivery



Airy Ceiling Fan (up coming)

Code: 876102, 99.99% pure copper wire
 High quality electric silicon steel sheet
 High quality powder coating paint
 Whisper quiet motor
 Regulated / Dimmer control
 Aerodynamic aluminum blades allow high velocity air



1400 mm / 56"



220-230 Volt
 Rated Voltage



80 Watt
 Rated Power



50Hz
 Frequency



330 R.P.M.
 Speed



210 M³/Min
 Air Delivery



Elegant Fan

Code: 94726, 99.99% pure copper wire
High quality electric silicon steel sheet
High precision chrome steel ball bearings
Powder coating paint, Whisper quiet motor
Regulated / Dimmer control
Safety wire for preventing any unwanted accidents



1400 mm / 56"



220-230 Volt
Rated Voltage



80 Watt
Rated Power



50Hz
Frequency



320 R.P.M.
Speed



200 M³/Min
Air Delivery



Super Ceiling Fan-36" (White)

Code: 901470, 99.99% pure copper wire
High quality electric silicon steel sheet
High precision chrome steel ball bearings
Powder coating paint, Whisper quiet motor
Regulated / Dimmer control
Aerodynamically designed aluminum blades



900 mm / 36"



220-230 Volt
Rated Voltage



75 Watt
Rated Power



50Hz
Frequency



540 R.P.M.
Speed



250 M³/Min
Air Delivery



Super Ceiling Fan-48" (Ivory)

Code: 901230, 99.99% pure copper wire
 High quality electric silicon steel sheet
 High precision chrome steel ball bearings
 High quality powder coating paint
 Whisper quiet motor, Regulated / Dimmer control
 Ideal for year round operation



1200 mm / 48"
 Sweep



220-230 Volt
 Rated Voltage



75 Watt
 Rated Power



50Hz
 Frequency



370 R.P.M.
 Speed



188 M³/Min
 Air Delivery



Super Ceiling Fan-24"

Code: 901565, 99.99% pure copper wire
 High quality electric silicon steel sheet
 High precision chrome steel ball bearings
 Powder coated paint , Whisper quiet motor
 Regulated / Dimmer control
 Aerodynamically designed aluminum blades



600 mm / 24"
 Sweep



220-230 Volt
 Rated Voltage



65 Watt
 Rated Power



50Hz
 Frequency



690 R.P.M.
 Speed



115 M³/Min
 Air Delivery



Blizzard Ceiling Fan-48" (Ivory)

Code: 876095, 99.99% pure copper wire
 High quality electric silicon steel sheet
 High precision chrome steel ball bearings
 High quality powder coating paint
 Whisper quiet motor, Regulated / Dimmer control
 Ideal for year round operation



1200 mm /48"
 Sweep



220 Volt
 Rated Voltage



75 Watt
 Rated Power



50Hz
 Frequency



370 R.P.M.
 Speed



180 M³/Min
 Air Delivery



Blizzard Ceiling Fan-48" (Maroon)
 Code: 876096



Blizzard Ceiling Fan-48" (White)
 Code: 876095/876096

Trendy Pedestal Fan

Code: 876136, 99.99% pure copper wire
Heavy A.S. Plastic Blade
Rust Free Wire Guard
Aesthetically Designed
90 Degree Oscillation
Over Voltage Carrying Capacity
Motor Type - Shaded Pole



-  400 mm / 16"
-  220-230 Volt
Rated Voltage
-  60 Watt
Rated Power
-  50Hz
Frequency
-  1250 R.P.M.
Speed
-  60 M³/Min
Air Delivery

Pedestal Fan

Code: 907631
99.99% pure copper wire
Heavy A.S. Plastic Blade
Rust Free Wire Guard
Aesthetically Designed
90 Degree Oscillation
Over Voltage Carrying Capacity
Motor Type - Shaded Pole



-  450 mm / 18"
-  220-230 Volt
Rated Voltage
-  55 Watt
Rated Power
-  50Hz
Frequency
-  1200 R.P.M.
Speed
-  60 M³/Min
Air Delivery

Pedestal Fan

Code: 907763
99.99% pure copper wire
Heavy Metal Blade
Rust Free Wire Guard, Metal Body
Aesthetically Designed
90 Degree Oscillation
Over Voltage Carrying Capacity
Motor Type - Shaded Pole



-  600 mm / 24"
-  220-230 Volt
Rated Voltage
-  165 Watt
Rated Power
-  50Hz
Frequency
-  1350 R.P.M.
Speed
-  200 M³/Min
Air Delivery

Pedestal Series

Pedestal Fan

Code: 94707
99.99% pure copper wire
Heavy A.S. Plastic Blade
Rust Free Wire Guard
Aesthetically Designed
90 Degree Oscillation
Over Voltage Carrying Capacity
Motor Type - Shaded Pole

River Wind 2 Pedestal Fan

Code: 907761
99.99% pure copper wire
Heavy A.S. Plastic Blade
Rust Free Wire Guard
Aesthetically Designed
90 Degree Oscillation
Over Voltage Carrying Capacity
Motor Type - Shaded Pole



- 450 mm / 18"
- 220-230 Volt
Rated Voltage
- 55 Watt
Rated Power
- 50Hz
Frequency
- 1200 R.P.M.
Speed
- 60 M³/Min
Air Delivery



- 450 mm / 18"
- 220-230 Volt
Rated Voltage
- 75 Watt
Rated Power
- 50Hz
Frequency
- 1300 R.P.M.
Speed
- 60 M³/Min
Air Delivery





-  400 mm / 16" Sweep
-  220 Volt Rated Voltage
-  30 Watt Rated Power
-  50Hz Frequency
-  1200 R.P.M. Speed
-  60 M³/Min Air Delivery

AC & DC Table Fan -16"
 Code: 907621
 Voltage AC 220 V/DC 12 V
 Service Value 1.10, Power Factor 0.92
 Insulation Type 'E' Class



-  300 mm / 12" Sweep
-  15 Watt Rated Power
-  1800 R.P.M. Speed
-  55 M³/Min Air Delivery

DC Table Fan -12"
 Code: 876134
 Voltage - DC 12 V
 Rated Speed - 1800 R.P.M



-  400 mm / 16" Sweep
-  220 Volt Rated Voltage
-  45 Watt Rated Power
-  50Hz Frequency
-  1300 R.P.M. Speed
-  55 M³/Min Air Delivery

Table Fan Metal-Blade
 Code: 876567
 99.99% pure copper wire, Voltage 220 V
 Air Delivery 55 m³/min, Insulation Type 'E' Class
 Service Value 1.20, Power Factor 0.92



-  400 mm / 16" Sweep
-  220 Volt Rated Voltage
-  55 Watt Rated Power
-  50Hz Frequency
-  1200 R.P.M. Speed
-  60 M³/Min Air Delivery

Table Fan Orange
Code: 807050



-  400 mm / 16" Sweep
-  220 Volt Rated Voltage
-  55 Watt Rated Power
-  50Hz Frequency
-  1200 R.P.M. Speed
-  60 M³/Min Air Delivery

Table Fan Purple
Code: 807049

99.99% pure copper wire
Heavy P.P. Plastic Blade, Rust Free Wire Guard
Aesthetically Designed, 90 Degree Oscillation
Over Voltage Carrying Capacity, Motor Type - Shaded Pole



-  400 mm / 16" Sweep
-  220 Volt Rated Voltage
-  55 Watt Rated Power
-  50Hz Frequency
-  1200 R.P.M. Speed
-  60 M³/Min Air Delivery

Table Fan Green
Code: 807048



-  400 mm / 16" Sweep
-  220 Volt Rated Voltage
-  55 Watt Rated Power
-  50Hz Frequency
-  1200 R.P.M. Speed
-  60 M³/Min Air Delivery

River Wind Table Fan

Code: 901344, 99.99% pure copper wire
Heavy P.P. Plastic Blade, Rust Free Wire Guard
Aesthetically Designed, 90 Degree Oscillation
Over Voltage Carrying Capacity
Motor Type - Shaded Pole



-  400 mm / 16" Sweep
-  220 Volt Rated Voltage
-  60 Watt Rated Power
-  50Hz Frequency
-  1300 R.P.M. Speed
-  60 M³/Min Air Delivery

River Wind 2 Table Fan

Code: 907760, 99.99% pure copper wire
Heavy P.P. Plastic Blade
Rust Free Wire Guard, Aesthetically Designed
90 Degree Oscillation, Over Voltage Carrying Capacity
Motor Type - Shaded Pole



-  400 mm / 16" Sweep
-  220 Volt Rated Voltage
-  50 Watt Rated Power
-  50Hz Frequency
-  1350 R.P.M. Speed
-  65 M³/Min Air Delivery

Trendy Table Fan

Item code: 876910, 99.99% pure copper wire
Heavy P.P. Plastic Blade, Rust Free Wire Guard
Aesthetically Designed, 90 Degree Oscillation
Over Voltage Carrying Capacity, Motor Type - Shaded Pole



-  400 mm / 16" Sweep
-  220 Volt Rated Voltage
-  60 Watt Rated Power
-  50Hz Frequency
-  1250 R.P.M. Speed
-  60 M³/Min Air Delivery

Trendy Wall Fan


Code: 876138, 99.99% pure copper wire
Heavy A.S. Plastic Blade, Rust Free Wire Guard
Aesthetically Designed, 90 Degree Oscillation
Over Voltage Carrying Capacity



-  450 mm / 18" Sweep
-  220 Volt Rated Voltage
-  55 Watt Rated Power
-  50Hz Frequency
-  1200 R.P.M. Speed
-  60 M³/Min Air Delivery

Wall Fan

Code: 94705, 99.99% pure copper wire
Heavy A.S. Plastic Blade, Rust Free Wire Guard
Aesthetically Designed, 90 Degree Oscillation
Over Voltage Carrying Capacity, Motor Type - Shaded Pole



-  350 mm / 14" Sweep
-  24 Watt Rated Power
-  1400 R.P.M. Speed

Rech. Table Fan-14"


Code: 900646, Battery - 6V, 7 Ah
 Speed: Low - 280 R.P.M., High - 1400 R.P.M.
 Charge Time: 12 - 15 Hour, LED: 70Hr - Strong Light
 120Hr - Week Light, USB Charger
 Fan: 3.5 Hr for Max Speed, 25 Hr for Low Speed



-  300 mm / 12" Sweep
-  24 Watt Rated Power
-  1400 R.P.M. Speed

Rech. Table Fan-12"

Code: 900644
 Rechargeable Fan-12"
 Battery Capacity: 6V 4.5Ah
 AC/DC operated, USB Charger



-  400 mm / 16" Sweep
-  220 Volt Rated Voltage
-  60 Watt Rated Power
-  50Hz Frequency
-  1250 R.P.M. Speed
-  60 M³/Min Air Delivery

Orbit Ceiling Fan

Item code : 876912
 Low Power Consumption
 Over Voltage Carrying Capacity
 Rust Free Wire Guard
 Aesthetically designed



-  200 mm / 8" Sweep
-  12 Watt Rated Power
-  3000 R.P.M. Speed

DC Car Fan
Item Code: 876130



-  200 mm / 8" Sweep
-  12 Watt Rated Power
-  3000 R.P.M. Speed

DC Car Fan
Item Code: 876130

Where to Use
For Autos, Trucks, Buses
Jeeps, Container Trucks, Farm Tractors
All of the road Equipment, Airplanes, boats, Ships
Recreational Vehicles



Input Voltage : 5V
Input Current : 0.5 - 1A
Output Voltage : 5 - 9V
Output Power : 4.5W
Battery Tech. : Li-ion
18650 - 3.7V

Handy Pocket Fan
Item Code: 876904
Portable, Unique & Fashionable Structure
Brush & Slot less motor, High Wind & Long Life
Intelligent Control System
Easy Operation & Reliable Performance
Environmental Friendly & Reusable



- 300 mm / 12" Sweep
- 220 Volt Rated Voltage
- 80 Watt Rated Power
- 50Hz Frequency
- 2000 R.P.M. Speed
- 90 M³/Min Air Delivery

Typhoon Fan
 Code: 907630
 99.99% pure copper wire
 Heavy P.P. Plastic Blade
 Rust Free Wire Guard
 Aesthetically Designed
 Over Voltage Carrying Capacity



Typhoon Fan
 Code: 807846

- 235 mm / 9" Sweep
- 220 Volt Rated Voltage
- 68 Watt Rated Power
- 50Hz Frequency
- 2800 R.P.M. Speed
- 90 M³/Min Air Delivery



Typhoon Table Fan
 Code: 907962

- 300 mm / 12" Sweep
- 220 Volt Rated Voltage
- 70 Watt Rated Power
- 50Hz Frequency
- 2500 R.P.M. Speed
- 90 M³/Min Air Delivery



- 500 mm / 20" Sweep
- 220 Volt Rated Voltage
- 90 Watt Rated Power
- 50Hz Frequency
- 1250 R.P.M. Speed
- 60 M³/Min Air Delivery

Ceiling Net Fan 20" Black
Code: 876110, Heavy P.P. Plastic Blade
Aesthetically Designed
Over Voltage Carrying Capacity



- 400 mm / 16" Sweep
- 220 Volt Rated Voltage
- 55 Watt Rated Power
- 50Hz Frequency
- 1200 R.P.M. Speed
- 60 M³/Min Air Delivery

Ceiling Net Fan 16" Green
Code: 901465
Heavy P.P. Plastic Blade
Aesthetically Designed
Over Voltage Carrying Capacity



- 450 mm / 18" Sweep
- 220 Volt Rated Voltage
- 55 Watt Rated Power
- 50Hz Frequency
- 1250 R.P.M. Speed
- 60 M³/Min Air Delivery

Metal Ceiling Net Fan 18"-Black
Item code : 876915
Heavy P.P. Plastic Blade
Rust Free Wire Guard, Aesthetically Designed
Over Voltage Carrying Capacity



- 400 mm / 16" Sweep
- 220 Volt Rated Voltage
- 55 Watt Rated Power
- 50Hz Frequency
- 1350 R.P.M. Speed
- 60 M³/Min Air Delivery

Ceiling Net Fan (Metal Blade)-16"
Item code : 876906
Metal Blade, Rust Free Wire Guard
Aesthetically Designed
Over Voltage Carrying Capacity



Exhaust Fan

99.99% pure copper wire
Pure Copper Wire
Low Power Consumption
Durable and Well Designed
Over Voltage Carrying Capacity
Less Sound in Motor
Aerodynamic Plastic Blades



Size : 300 mm /12"
Item Code: 900724
Watt: 45
RPM: 1100



Size : 250 mm /10"
Item Code: 94715
Watt: 40
RPM: 1150



Size : 200 mm /8"
Item Code: 900471
Watt: 40
RPM: 1200



Size : 150 mm /6"
Item Code: 876914
Watt: 40
RPM: 1300



Size : 300 mm /12"
Item Code: 876132
RPM: 1300
Watt: 40



Size : 250 mm /10"
Item Code: 907949
RPM: 1250
Watt: 40



Size : 200 mm /8"
Item Code: 876118
RPM: 1300
Watt: 40

Metal Exhaust Fan
99.99% pure copper wire
Pure Copper Wire
Low Power Consumption
Durable and Well Designed
Over Voltage Carrying Capacity
Less Sound in Motor

Drum Blower Fan
Code: 876116
99.99% pure copper wire
Heavy duty fan for industry
Low power consumption
Over voltage carrying capacity
Less sound in motor Metal body
Aerodynamic metal four blades Safety net

 500 mm / 20"
Sweep

 220 Volt
Rated Voltage

 250/200 Watt
Rated Power

 50Hz
Frequency

 1350/1400 R.P.M.
Speed

 60 M³/Min
Air Delivery





Helpline:
08 007 777 777 (Toll Free)
09613 737777, www.vision.com.bd
[facebook.com/VISION.REL](https://www.facebook.com/VISION.REL)