



আর এফ এল
FIRE DOOR

অগ্নি নিরাপত্তা
নিশ্চিত করে



CERTIFIED





আর এফ এল
FIRE DOOR



CERTIFIED

UL File Number
R39711 (Leaf) & R39734 (Frame)




Bravo Fire Door

RFL introduces Fire Door under the brand name '**Bravo**'. Fire Doors are designed & manufactured in accordance with internationally recognized standards.

- UL Certified
- Fire Ratings: 2 hours
- Standard: NFPA 80, ANSI/UL 10 B & ANSI/UL 10 C

DOOR FRAME

Made by high quality imported Cold Rolled Mild Steel sheet, Thickness 2.3 mm. Geometrical profile as per UL outline subject 63, Single Rabbet and Double Rabbet. Throat opening is 140 mm.



DOOR LEAF

Made by high quality imported Cold Rolled Mild Steel sheet, Thickness 1.6 mm. Leaf width is 50 mm. Face sheets and Bottom sheets assembled with interlocking mechanism and MIG TAC welded.

DOOR HINGES

Stainless Steel (SS) Ball Bearing Hinge
Size: 4.5"x 4"x 3.4 mm
Fire Ratings: 3 hours, UL listed.

DOOR LOCK

Type: High Security Locks Meeting Grade-1, ANSI A 156.13
Latch Bolt: 3/4"(19 mm) Throw, Stainless Steel (SS)
Fire Ratings: 3 hours, UL listed

FIRE EXIT DEVICE /PANIC BAR

Type: Touch bar with smooth operation
RIM type or Vertical Rod type.
UL listed/ANSI Grade 1. Material: Steel with silver coated paint

VISION PANEL

Maximum glazed area 100 in²
Fire Rating 3 hours, UL listed
Fire Rated Glazing Material, Positive Pressure Tested

SURFACE TREATMENT

All surfaces are chemically treated and degreasing, derusting, sealing are performed properly in our treatment plant.

PAINTING

All doors are painted in a computer controlled conveyor type paint curing oven with robotic powder spray system.

AVAILABLE COLOR

Red, Blue, Gray, Copper


AVAILABLE SIZES

Single Leaf Door, Left Handed and Right Handed

Double Leaf Door, Left Handed and Right Handed

- 1. 900 mm x 2100 mm
- 2. 900 mm x 2400 mm
- 3. 1000 mm x 2100 mm
- 4. 1000 mm x 2400 mm
- 5. 1100 mm x 2100 mm
- 6. 1100 mm x 2400 mm

- 1. 1800 mm x 2100 mm
- 2. 1800 mm x 2400 mm
- 3. 2000 mm x 2100 mm
- 4. 2000 mm x 2400 mm
- 5. 2200 mm x 2100 mm
- 6. 2200 mm x 2400 mm



09613737777

A Product of



আর এফ এল